



# WOODBURN

## Transportation System Plan

---

FINAL | SEPTEMBER 2019



# WOODBURN TRANSPORTATION SYSTEM PLAN

Prepared For:

**City of Woodburn**

270 Montgomery Street  
Woodburn, Oregon 97071  
(503) 982-5246

Prepared By:

**Kittelson & Associates, Inc.**

851 SW 6<sup>th</sup> Avenue, Suite 600  
Portland, OR 97204  
(503) 228-5230

## FINAL

September 2019

This Project is partially funded by a grant from the Transportation and Growth Management ("TGM") Program, a joint program of the Oregon Department of Transportation and the Oregon Department of Land Conservation and Development. This TGM grant is financed, in part, by federal Fixing America's Surface Transportation Act ("FAST Act"), local government, and the State of Oregon funds.

The contents of this document do not necessarily reflect views or policies of the State of Oregon.

## **Acknowledgements**

The development of the Woodburn Transportation System Plan was guided by the Project Management Team (PMT) a Technical Advisory Committee, and a volunteer Citizen Advisory Committee (CAC). The City of Woodburn would like to thank each of these individuals who devoted their time, expertise, and insight into the development of the plan.

### ***Project Management Team (PMT)***

- Chris Kerr, City of Woodburn
- Eric Liljequist, P.E., City of Woodburn
- Michael Duncan, ODOT

### ***Citizens Advisory Committee (CAC)***

- Dawn Cole – Estates Officer
- Mark Hester – Business Representative
- Kari Pankey – Parks Board
- Charlie Piper – Planning Commission Chairperson
- Sharon Schaub – City Councilor
- Peter Skei – Industrial Property Representative
- Sheryl Southwell – Industrial Property Representative
- Elias Villegas – Chemeketa College
- John Zobrist - Citizen

### ***Consultant Team Members***

- Matt Hughart, AICP, Kittelson & Associates, Inc.
- Molly McCormick, Kittelson & Associates, Inc.
- Julia Kuhn, P.E., Kittelson & Associates, Inc.
- Adrienne DeDona, JLA Public Involvement
- Clinton “CJ” Doxsee, Angelo Planning Group
- Darci Rudzinski, AICP, Angelo Planning Group




Table of Contents

INTRODUCTION..... 9
WHY CREATE A TRANSPORTATION SYSTEM PLAN?.....9
WOODBURN 2019 .....9
TSP UPDATE PROCESS.....13
TSP ORGANIZATION .....14
SETTING THE VISION FOR WOODBURN'S TRANSPORTATION SYSTEM ..... 17
GOALS AND OBJECTIVES.....17
MOTOR VEHICLE SYSTEM ..... 23
FUNCTIONAL CLASSIFICATION SYSTEM.....23
ROADWAY PLAN .....29
FREIGHT PLAN.....37
TRAFFIC SAFETY PLAN.....41
LOCAL STREET CONNECTIVITY PLAN.....42
TRANSIT SYSTEM..... 47
EXISTING TRANSIT SERVICE.....47
TRANSIT PLAN PROJECTS AND PROGRAMS.....51
PEDESTRIAN SYSTEM..... 57
PEDESTRIAN FACILITIES.....57
PEDESTRIAN PLAN PROJECTS.....59
BICYCLE SYSTEM..... 71
BICYCLE FACILITIES.....71
BICYCLE PLAN PROJECTS.....73
OTHER TRAVEL MODES..... 81
TRANSPORTATION SYSTEM MANAGEMENT AND OPERATIONS (TSMO) PLAN .....81
RAIL PLAN.....85
AIR TRANSPORTATION .....85
MARINE TRANSPORTATION .....85
PIPELINE .....85
FUNDING..... 89
FUNDING PROGRAMS AND REVENUE .....89
PLANNED TRANSPORTATION SYSTEM COST SUMMARY .....91
GLOSSARY OF TERMS..... 95



**List of Tables**

TABLE 1: FUNCTIONAL CLASSIFICATION COMPARISON BY JURISDICTION .....27

TABLE 2: ROADWAY PLAN PROJECTS .....31

TABLE 3: TRAFFIC SAFETY PROJECTS .....41

TABLE 4: TRANSIT PLAN.....51

TABLE 5: PEDESTRIAN PLAN PROJECTS .....60

TABLE 6: BICYCLE PLAN PROJECTS.....73

TABLE 7: TRANSPORTATION DEMAND MANAGEMENT PROGRAM STRATEGIES .....82

TABLE 8: LAND USE PROJECTS.....83

TABLE 9: ACCESS MANAGEMENT PROJECTS .....84

TABLE 10: RAIL PROJECTS .....85

TABLE 11: CITY OF WOODBURN REVENUE HISTORY .....89

TABLE 12: POTENTIAL GRANT SOURCES AND PARTNERING OPPORTUNITIES .....90

TABLE 13: POTENTIAL NEW FUNDING SOURCES FOR CONSIDERATION BY THE CITY OF WOODBURN .....90

TABLE 14: PLANNED TRANSPORTATION SYSTEM COST SUMMARY.....91

## List of Figures

FIGURE 1: REGIONAL MAP.....	11
FIGURE 2: FUNCTIONAL ROADWAY CLASSIFICATION.....	24
FIGURE 3: ROADWAY PLAN PROJECTS.....	35
FIGURE 4: FREIGHT ROUTES .....	39
FIGURE 5: TRAFFIC SAFETY PROJECTS .....	43
FIGURE 6: LOCAL STREET CONNECTIVITY.....	44
FIGURE 7: EXISTING TRANSIT FACILITIES .....	49
FIGURE 8: PEDESTRIAN PLAN PROJECTS .....	67
FIGURE 9: BICYCLE PLAN PROJECTS .....	77

*This page intentionally left blank*





---

# 1 INTRODUCTION

---

Why Create a Transportation System Plan?

Woodburn 2019

TSP Update Process

TSP Organization

*This page intentionally left blank*

## INTRODUCTION

### WHY CREATE A TRANSPORTATION SYSTEM PLAN?

The Woodburn Transportation System Plan (TSP) is a long-range plan that sets the vision for the city's transportation system, facilities and services to meet state, regional, and local needs for the next 20 years. The TSP was developed through community and stakeholder input and is based on the system's existing needs, opportunities, and anticipated available funding. The plan also serves as the Transportation Element of the Woodburn Comprehensive Plan. The purpose of the 2019 TSP update is to address regulatory changes that have occurred in the region since the previous 2005 TSP, as well as to provide an updated list of projects to address local transportation needs and deficiencies.



Pedestrians in Downtown Woodburn




Playground Located Along the Existing Section of Mill Creek Greenway

The TSP addresses compliance with new or amended Federal, State, and local plans policies, and regulations including the Oregon Transportation Plan (OTP), the State's Transportation Planning Rule (TPR), the Oregon Highway Plan (OHP), and presents the investments and priorities for the Pedestrian, Bicycle, Transit, and Motor Vehicle System.

### WOODBURN 2019

As shown in Figure 1, the City of Woodburn lies in the Willamette Valley in Marion County, approximately 30 miles south of Portland and approximately 20 miles north of Salem. Initially starting as land purchased for a tree nursery, construction of the railroad led to rapid development and incorporation as a city in 1889. Further growth occurred as additional tracks and I-5 were constructed. Based on information from the Portland State University Population Research Center (PRC), Woodburn has an estimated 2016 population of 24,795 people, comprising 7.4% of Marion County's 333,950 residents. The community is known for its tourism, local events, and young and diverse population. Big attractions include the Woodburn Premium Outlets, several golf courses, Tulip Festival, Fiesta Mexicana, and the Woodburn Dragstrip with over 4.5 million visitors to the area each year.

*This page intentionally left blank*



**Regional Map  
Woodburn, Oregon**

**Figure  
1**

H:\121071 - Woodburn TSP Update\GIS\TSP01 Regional Map.mxd - nmccormick - 6:24 PM 9/16/2019

Coordinate System: NAD 1983 Oregon Statewide Lambert Feet Intl  
Data Source: City of Woodburn

*This page intentionally left blank*

## TSP UPDATE PROCESS

The TSP update process began with a review of local, regional, and statewide plans and policies that guide land use and transportation planning in the city. Goals and objectives were then developed collaboratively with the project's Citizens Advisory Committee (CAC) to guide the evaluation of the existing and future transportation system conditions as well as the development of planned improvements. An inventory of the multimodal transportation system was conducted to serve as the basis for the existing and future conditions analyses. The existing and future condition analyses focused on identifying gaps and deficiencies in the multimodal transportation system based on current and forecast future performances. For each gap and deficiency, a solution, or set of potential solutions, was identified to address the system needs. The solutions were then evaluated to determine the preferred solutions, which were prioritized through the public involvement process and organized into planned project lists. The culmination of the TSP update process is this document, which presents the plans and solutions identified to address the existing and future gaps and deficiencies in the city's transportation system.

### **Committees**

The project team developed the TSP update in close coordination with city staff, along with representatives from the local community. One formal committee, referred to as the Citizens Advisory Committee (CAC), had a significant role in the TSP update process. The CAC consisted of local residents with an interest in transportation. The CAC provided technical guidance and coordination throughout the project. CAC members reviewed and commented on technical memorandums and participated in committee meetings and community meetings. The CAC served as the voice of the community and the caretakers of the goals and objectives of the TSP update.

### **Public Involvement**

The Woodburn TSP is the result of a collaboration among various public agencies, the community, and the project team of city staff, Oregon Department of Transportation (ODOT), and consultants. The public involvement process consisted of continuous face-to-face interactions at multiple events. These events included three drop-in style and three on-line open houses spaced over the course of key project milestones. A detailed summary of the open house outreach methods and feedback is provided in the technical companion document to the TSP. At the deliverable level, the project was supported by Citizens Advisory Committee (CAC) made up of interested citizens, business representatives, and Planning Commission members.



Open House #1



Open House #1



Open House #3



Open House #3

## TSP ORGANIZATION

The Woodburn TSP is comprised of the main TSP summary document (Volume I) and a volume of supporting technical appendices and other supporting documentation (Volume II). Volume I (this document) is organized into the following sections:

- Chapter 1 – Introduction
- Chapter 2 – Setting The Vision for Woodburn's Transportation System
- Chapter 3 – Motor Vehicle System
- Chapter 4 – Transit System
- Chapter 5 - Pedestrian System
- Chapter 6 – Bicycle System
- Chapter 7 – Other Travel Modes
- Chapter 8 – Funding and Implementation Outline
- Chapter 9 – *Glossary of Terms*

Volume II (under separate cover) contains the technical memorandums prepared during the development of the TSP including the detailed data and technical analyses that informed the plan.





---

# 2 THE VISION FOR TRANSPORTATION

---

Setting the Vision for Woodburn's Transportation System  
Goals and Objectives

*This page intentionally left blank*

## SETTING THE VISION FOR WOODBURN'S TRANSPORTATION SYSTEM

Setting a vision for a city's transportation system is an essential first step in maintaining the existing system and establishing the framework to accommodate potential growth. The public involvement process for the TSP provided a forum for the community to express their vision for the future of Woodburn's transportation network. The community advisory committee and other community members expressed a desire for a transportation system that maintains community livability, enhances existing transportation infrastructure, increases safety for all users, and provides a framework for potential growth.

### GOALS AND OBJECTIVES

The project team developed goals and objectives for the TSP update to help guide the review and documentation of the preferred future Woodburn transportation system. As described in Technical Memorandum #6: Preferred Alternatives, the goals and objectives through a range of evaluation criteria that were applied to select preferred alternatives and priority rankings among the identified projects. In compliance with state, regional, and local planning requirements, the goals and objective below emphasize a multimodal system that supports all modes and users.

#### **Goal 1 – Multimodal Mobility**

Provide a multimodal transportation system that avoids or reduces a reliance on one form of transportation and minimizes energy consumption and air quality impacts.

##### ***Objective 1A***

Develop an expanded intracity bus transit system that provides added service and route coverage to improve the mobility and accessibility of the transportation disadvantaged and to attract traditional auto users to use the system.

##### ***Objective 1B***

Develop a plan for providing travel options between Woodburn and Portland or Salem, including intercity bus service and potential bus/carpool park-and-ride facilities.

##### ***Objective 1C***

Develop a comprehensive low stress network of bicycle lanes and routes that link major activity centers such as residential neighborhoods, schools, parks, commercial areas, and employment centers.

### **Objective 1D**

Develop a comprehensive network of sidewalks and off-street pathways that improve pedestrian mobility within neighborhoods and link residential areas to schools, parks, commercial areas, and employment centers.

### **Objective 1E**

Maintain adequate intersection and roadway capacity on the key east-west and north-south arterials.

## **Goal 2 – Connectivity**

Provide an interconnected street system that is adequately sized to accommodate existing and projected traffic demands in the Woodburn area.

### **Objective 2A**

Verify and incorporate the relevant strategies and infrastructure projects from the existing TSP, I-5/OR 214 IAMP, and 99E Refinement Plan

### **Objective 2B**

Identify new east-west and north-south collector/minor arterial streets within the City to relieve traffic demands on Oregon 219/214, 211, and 99E, and coordinate with Marion County to construct the street connections needed outside of the urban growth boundary (UGB).

### **Objective 2C**

Develop updated street design standards for arterials, collectors, and local streets.

## **Goal 3 – Safety**

Provide a transportation system that enhances the safety and security of all transportation modes in the Woodburn area.

### **Objective 3A**

Address existing and potential future safety issues by identifying high collision locations and locations near schools or with a history of fatal, severe injury, and/or pedestrian/bicycle-related crashes and developing strategies to address those issues.

### **Objective 3B**

Identify street and railroad crossings in need of improvement, as well as those that should be closed or relocated.

### **Objective 3C**

Develop a plan for designated truck routes through the City, and a plan to handle truck and rail hazardous cargoes

## **Goal 4 – Strategic Investment**

Provide a financially sustainable transportation system through responsible stewardship of assets and financial resources.

### **Objective 4A**

Identify new and innovative funding sources for transportation improvements

### **Objective 4B**

Preserve and maintain the existing transportation system assets to extend their useful life.

## **Goal 5 – Land Use and Transportation Integration**

Review and update land use standards and ordinances to create a balanced built environment where existing and planned land uses are supported by an efficient multi-modal transportation system.

### **Objective 5A**

Identify a range of potential Transportation Demand Management (TDM) strategies that can be used to improve the efficiency of the transportation system by shifting single-occupant vehicle trips to other modes and reducing automobile reliance at times of peak traffic volumes.

### **Objective 5B**

Identify revisions to the Woodburn Zoning Ordinance for compliance with the Transportation Planning Rule

*This page intentionally left blank*



---

# 3 MOTOR VEHICLE SYSTEM

---

Functional Classification System

Roadway Plan

Freight Plan

Traffic Safety Plan

Local Street Connectivity Plan

*This page intentionally left blank*



## MOTOR VEHICLE SYSTEM

Streets serve a majority of all trips within Woodburn across all travel modes. In addition to motorists in private vehicles, pedestrians, bicyclists, and public transit riders use streets to access areas locally and regionally. This section summarizes the updated functional classification system, roadway plan, freight plan, safety plan, and local street connectivity plan that make up Woodburn's motor vehicle system.

## FUNCTIONAL CLASSIFICATION SYSTEM

A street's functional classification defines its role in the transportation system and reflects desired operational and design characteristics such as right-of-way requirements, pavement widths, pedestrian and bicycle features, and driveway (access) spacing standards.

Figure 2 illustrates the functional classification of streets within Woodburn, which includes the following designations as defined by the current Woodburn TSP:

- Freeways – The primary function of the interstate is mobility, because freeways connect major cities, regions within Oregon, and other states, and serve as major freight routes. The freeway should provide “safe and efficient high-speed continuous flow.” The freeway has full access control with access limited to the interchange. Only motorized vehicle traffic is served.
- Major Arterials – Primary functions are to serve local and through traffic as it enters and leaves the urban area, connect Woodburn with other urban centers and regions, and provide connections to major activity centers within the UGB. Emphasis should be on traffic flow, pedestrian and bicycle movements. On-street bicycle lanes and sidewalks should be provided.
- Minor Arterials – Primary functions are to connection major activity centers and neighborhoods within the UGB and to support the major arterial system. Minor arterials should have a higher degree of access, shorter trip lengths, lesser traffic volumes, and lower travel speeds than major arterials. Like major arterials, emphasis should be on traffic flow, pedestrian and bicycle movements. On-street bicycle lanes and sidewalks should be provided.
- Service Collector - Primary function is to provide connections between neighborhoods and major activity centers and the arterial street system. Some degree of access is provided to adjacent properties, while maintaining circulation and mobility for all users. Service collectors carry lower traffic volumes at slower speeds than major and minor arterials. On-street bicycle lanes and sidewalks should be provided.

- Access Streets – Primary function is to connect residential neighborhoods with service collectors or arterials. On-street parking and access to adjacent properties is prevalent. Slower speeds should be provided to ensure community livability and safety for pedestrians and cyclists. In many cases, cyclists can “Share the road” with motor vehicles because of low traffic volumes and speeds. Sidewalks or pathways should be provided for pedestrians.
- Local Streets – Primary function is to provide direct access to adjacent land uses. Short roadway distances, slow speeds, and low traffic volumes characterize local streets. Cyclists can share the road with motor vehicles. Sidewalks or pathways should be provided for pedestrians.





School Bus



Woodburn Public Library

Table 1 summarizes the functional classifications of the major arterial, minor arterial, and service collector streets within Woodburn and identifies the overlapping ownership/maintenance and jurisdictional relationships that exist.

The functional classifications used in local TSPs should be consistent with other regional planning efforts. As shown in Table 1, there are several streets that currently have conflicting classifications.



- Existing Roadway**
- Freeway
  - Major Arterial
  - Minor Arterial
  - Service Collector
  - Access Street
- Future Roadway**
- - - Future Major Arterial
  - - - Future Minor Arterial
  - - - Future Service Collector
  - - - Future Access Street
  - - - Future Local Industrial
- City Boundary
- Urban Growth Boundary

Note: Future roadway alignments are approximate and subject to further refinement.

**Functional Roadway Classification  
Woodburn, Oregon**

**Figure  
2**

H:\1212\1071 - Woodburn TSP Update\GIS\TSP02 Functional Roadway Classification.mxd - mmcormick - 5:25 PM 9/18/2019

*This page intentionally left blank*

**Table 1: Functional Classification Comparison by Jurisdiction**

Roadway	Jurisdiction	Functional Classification			Consistent between Jurisdictions?
		Woodburn	Marion County	Federal	
Butteville Road (north of OR 219 and south of OR 219)	County	Minor Arterial	Major Collector	Major Collector	No
Butteville Road (segment where aligned with OR 219)	ODOT	Minor Arterial		Minor Arterial	Yes
OR 219 (Butteville Road to Woodland Avenue)	ODOT	Major Arterial		Minor Arterial	No
OR 219 (Woodland Avenue to I-5)	ODOT	Major Arterial		Principal Arterial	No
Woodland Avenue	City	Access Street		Major Collector	No
Arney Road	City/Private	Service Collector		Major Collector	No
I-5	ODOT	Freeway		Interstate	Yes
OR 214 (I-5 to OR 99E)	ODOT	Major Arterial		Principal Arterial	Yes
OR 214 (OR 99E to UGB east limits)	ODOT	Major Arterial		Minor Arterial	No
Stacy Allison Way	City	Service Collector		Local	No
Center Street	City	Service Collector		Local	No
Evergreen Road (OR 219 to Boean Lane)	City	Minor Arterial		Major Collector	No
Evergreen Road (Boean Lane to end of road)	City	Minor Arterial		Local	No
Harvard Drive	City	Access Street		Local	No
Stubb Road	County	Access Street	No Designation	Local	No
Parr Road	County/City	Service Collector	Major Collector	Major Collector	No
Hayes Street	City	Service Collector		Major Collector	No
Oregon Way	City	Access Street		Major Collector	No
Astor Way	City	Access Street		Major Collector	No
Country Club Road	City	Access Street		Major Collector	No
Boones Ferry Road/Settlemier Avenue (north of Parr Road)	County/City	Minor Arterial	Arterial	Minor Arterial	Yes
Boones Ferry Road/Settlemier Avenue (south of Parr Road)	County/City	Minor Arterial	Major Collector	Minor Arterial	Yes

Roadway	Jurisdiction	Functional Classification			Consistent between Jurisdictions?
		Woodburn	Marion County	Federal	
Tukwila Drive	City	Access Street		Major Collector	No
Hazelnut Drive	City	Access Street		Major Collector	No
5 <sup>th</sup> Street	City	Access Street		Major Collector	No
Harrison Street	City	Service Collector		Major Collector	No
Lincoln Street	County/City	Service Collector	Local	Major Collector	No
Garfield Street	City	Minor Arterial		Minor Arterial	Yes
Young Street	City	Minor Arterial		Minor Arterial	Yes
Cleveland Street	City	Service Collector		Major Collector	No
Front Street	City	Minor Arterial		Minor Arterial	Yes
Industrial Avenue	City	Service Collector		Major Collector	No
Progress Way	City	Service Collector		Major Collector	No
OR 211	ODOT	Major Arterial		Minor Arterial	Yes
Park Avenue	City	Access Street		Major Collector	No
Hardcastle Avenue	County/City	Service Collector	No Designation	Major Collector	No
Gatch Street	City	Access Street		Major Collector	No
Brown Street	City	Service Collector		Major Collector	No
OR 99E (north of OR 214 and south of Young Street)	ODOT	Major Arterial		Minor Arterial	No
OR 99E (segment where aligned with OR 214)	ODOT	Major Arterial		Principal Arterial	No
Cooley Road	County	Service Collector	Local	Major Collector	No

### Roadway Cross-section Standards

A functional classification system as shown in Figure 2 has to work together with roadway cross-section standards to allow for standardization of key characteristics within roadway classifications while also providing some flexibility based on context. A roadway's cross-section and design will vary between streets and between segments based on adjacent land uses and demands, but the overall street network should also be considered. The Woodburn

Development Ordinance Section 3.01.04<sup>1</sup> contains the current roadway cross-sections standards for the city that work together with the identified functional classification system shown in Figure 2.

## ROADWAY PLAN

### **Roadway Facilities**

The roadway facility types that are currently utilized or that are recommended through the roadway plan projects are described below.

#### ***Turn Lanes***

Separate left- and right-turn lanes, as well as two-way left-turn lanes (TWLTL) can provide separation between slowed or stopped vehicles waiting to turn and through vehicles. The design of turn lanes is largely determined based on a traffic study that identifies the storage length needed to accommodate vehicle queues. Turn lanes are commonly used at intersections where the turning volumes warrant the need for separation.

#### ***Traffic Signals***

Traffic signals allow opposing streams of traffic to proceed in an alternating pattern. National and state guidance indicates when it is appropriate to install traffic signals at intersections. When used, traffic signals can effectively manage high traffic volumes and provide dedicated times in which pedestrians and cyclists can cross roadways. Because they continuously draw from a power source and must be periodically re-timed, signals typically have higher maintenance costs than other types of intersection control. Signals can improve safety at intersections where signal warrants are met, however, they may result in an increase in rear-end crashes compared to other solutions. Signals have a significant range in costs depending on the number of approaches, how many through and turn lanes each approach has, and if it is located in an urban or rural area. The cost of a new traffic signal ranges from approximately \$250,000 in rural areas to \$500,000 in urban areas.

#### ***Signal Timing/Phasing Modifications***

Signal retiming and optimization offers a relatively low-cost option to increase system efficiency. Retiming and optimization refers to updating timing plans to better match prevailing traffic conditions and coordinating signals. Timing optimization can be applied to existing systems or may include upgrading signal technology, such as signal communication infrastructure, signal controllers, or cabinets. Signal retiming can reduce travel times and be especially beneficial to improving travel time reliability. In high pedestrian or desired pedestrian areas, signal retiming can facilitate pedestrian movements through intersections by increasing minimum green times to give pedestrians time to cross during each cycle, which may create additional delay for other

---

<sup>1</sup> <https://www.woodburn-or.gov/dev-planning/page/woodburn-development-ordinance-wdo>

intersection users. Signals can also facilitate bicycle movements with the inclusion of bicycle detectors.

Signal upgrades often come at a higher cost than signal timing and phasing modifications and usually require further coordination between jurisdictions. However, upgrading signals provides the opportunity to incorporate advanced signal systems to further improve the efficiency of a transportation network. Strategies include coordinated signal operations across jurisdictions, centralized control of traffic signals, adaptive or active signal control, and transit or freight signal priority as further described in the Transportation System Management and Operations (TSMO) section. These advanced signal systems can reduce delay, travel time, and the number of stops for transit, freight, and other vehicles. In addition, these systems may help reduce vehicle emissions and improve travel time reliability.

### **Roundabouts**

Roundabouts are circular intersections where entering vehicles yield to vehicles already in the circle. They are designed to slow vehicle speeds to 20 to 30 mph or less before they enter the intersection, which promotes a more comfortable environment for pedestrians, bicyclists, and other non-motorized users. Roundabouts have fewer conflict-points and have been shown to reduce the severity of crashes, as compared to signalized intersections. Roundabouts can be more costly to design and install when compared to other intersection control types, but they have a lower operating and maintenance cost than traffic signals. Topography must be carefully evaluated in considering a roundabout, given that slope characteristics at an intersection may render a roundabout infeasible. The cost of a new roundabouts ranges from approximately \$2 million to \$4 million depending upon the number of lanes and the slope conditions.



Traffic Signal



Roundabout

### **Through Lanes**

When the demand per lane on a roadway segment has reached saturation, a potential solution is to construct additional through lanes. Although this theoretically adds capacity to the corridor,



added lanes can allow latent demand from the system to show an increase in demand. Added lanes may also create induced demand where drivers see that roadway as less of a barrier with its increased capacity, drawing in additional new demand and potentially maintaining or worsening the rate of congestion.

When a roadway does not have a consistent number of travel lanes per direction along a corridor, an added through lane may provide a consistent cross-section allowing for less weaving by vehicles traveling the corridor.

### Roadway Plan Projects

The projects developed for the roadway plan are summarized in Table 2 and shown in Figure 3. These projects are intended to address existing and projected future transportation system needs for motor vehicles as well as all other modes of transportation that depend on the roadway system for travel, such as pedestrians, bicyclists, transit users, and truck freight.

**Table 2: Roadway Plan Projects**

Project Number	Location	Responsible Jurisdiction	Type	Description	Priority	Cost Estimate <sup>2</sup>
R1	Southern OR 219/Butteville Road Intersection	State/ County	Intersection - geometric considerations	Enhanced traffic control (traffic signal, roundabout, or other appropriate geometric enhancements) in coordination with ODOT	High	\$2,750,000
R2	OR 219 from Butteville Road to Willow Road	State	Street design	Widen roadway to include two lanes in each direction and a two-way left-turn lane (in conjunction with pedestrian and bicycle facility improvements) in coordination with ODOT	High	\$1,700,000 (Cost includes B1 and P1)
R3	OR 214 from Cascade Drive to OR 99E	State	Street design	Widen roadway to include two lanes in each direction and a two-way left-turn lane, including changes to signal timing as appropriate, in coordination with ODOT (and in conjunction with bicycle facility improvements)	Medium	\$20,300,000 (Cost includes B2)
R4	OR 99E from Lincoln Street to south UGB	State	Street design	As identified in the Highway 99E Corridor Plan, widen roadway to provide a continuous two-way left-turn lane and wider shoulders, including changes to signal timing as appropriate, in coordination with ODOT (and in conjunction with pedestrian and bicycle facility improvements)	Medium	\$12,300,000 (Cost includes B3, B4, P3, and P4)
R5	Parr Road from western UGB to western City Boundary	County	Street design	Upgrade to Service Collector urban standards including bicycle and pedestrian enhancements	Low	\$0 <sup>1</sup> (Project includes B21 and P15)
R6	Butteville Road from OR 219 to southern UGB	County	Street design	Upgrade to Minor Arterial urban standards including bicycle and pedestrian enhancements	Low	\$0 <sup>1</sup> (Project includes B7 and P6)



Project Number	Location	Responsible Jurisdiction	Type	Description	Priority	Cost Estimate <sup>2</sup>
R7	Brown Street from Comstock Avenue to end of roadway	City	Street design	Upgrade to Service Collector urban standards including bicycle and pedestrian enhancements	Low	\$0 <sup>1</sup> (Project includes P20)
R8	OR 214/I-5 Southbound Ramp Intersection	State	Traffic signal timing	Investigate corridor signal timing and coordination adjustments in coordination with ODOT	Medium	\$15,000
R9	OR 214/I-5 Northbound Ramp Intersection	State	Traffic signal timing	Investigate corridor signal timing and coordination adjustments in coordination with ODOT	Medium	\$15,000
R10	OR 214/Evergreen Road Intersection	State	Traffic signal timing	Investigate corridor signal timing and coordination adjustments in coordination with ODOT	Medium	\$15,000
R11	OR 214/Oregon Way/Country Club Road Intersection	State	Traffic signal timing	Investigate corridor signal timing and coordination adjustments in coordination with ODOT	Medium	\$15,000
R12	OR 214/Front Street Ramp Intersection	State	Traffic control	Install intersection capacity improvement such as traffic signal (if warranted), turn lanes, or roundabout in coordination with ODOT	Medium	\$1,000,000
R13	OR 214/Park Street Intersection	State	Traffic control	Install intersection capacity improvement such as traffic signal (if warranted), turn lanes, or roundabout in coordination with ODOT	Medium	\$1,000,000
R14	OR 214/OR 211/OR 99E Intersection	State	Intersection - geometric considerations	Install a second left-turn lane on the southbound approach, install a second receiving lane on the east leg, and update signal timing in coordination with ODOT	Medium	\$900,000
R15	Parr Road/Settlemer Avenue Intersection	City	Traffic control	Install intersection capacity improvement such as traffic signal (if warranted), turn lanes, or roundabout	Low	\$500,000
R16	OR 99E/Hardcastle Avenue Intersection	State	Intersection - geometric considerations	Reconfigure the westbound approach to incorporate one left-turn lane and one thru-right turn lane in coordination with ODOT	Medium	\$50,000
R17	OR 99E/Lincoln Street Intersection	State	Intersection - geometric considerations	Install a shared through-right turn lane on the eastbound approach and reconfigure the existing approach lane as a separate left-turn lane in coordination with ODOT	Medium	\$500,000
R18	OR 99E/Young Street Intersection	State	Intersection - geometric considerations	As identified in the Highway 99E Corridor Plan, install a third westbound lane to provide separate left, thru, and right turn lanes in coordination with ODOT. Implement protected-permissive left-turn phasing on the eastbound and westbound approaches.	Medium	\$550,000

Project Number	Location	Responsible Jurisdiction	Type	Description	Priority	Cost Estimate <sup>2</sup>
R19	OR 99E/Cleveland Street Intersection	State	Traffic control	Install intersection capacity improvement such as traffic signal (if warranted), turn lanes, or roundabout in coordination with ODOT. Consideration should be given to railroad preemption and the proximity to the signalized intersection at OR 99E and Young Street.	Medium	\$1,000,000
R20	Ben Brown Lane	City	New roadway	Extend Ben Brown Lane to Evergreen Road as an Access Street	Medium	\$5,100,000
R21	Evergreen Road	City	New roadway	Extend south to Parr Road	High	\$4,750,000
R22	Stacy Allison Way	City	New roadway	Extend south to UGB	Medium	\$7,300,000
R23	Brown Street	City	New roadway	Extend south to the South Arterial	Medium	\$800,000
R24	Woodland Avenue	City	New roadway	Extend west to Butteville Road	Medium	\$2,450,000
R25	East-west Connection in Southwest Woodburn	City	New roadway	Construct a new Local Industrial Street connecting the southern extensions of Stacy Allison Way and Evergreen Road	Medium	\$1,800,000
R26	Stubb Road from Harvard Drive to Parr Road	County	Street design and new roadway	Upgrade the existing roadway to Access Street standards and extend north to Harvard Drive including bicycle and pedestrian enhancements	Medium	\$1,900,000
R27	North-south Connection in Southwest Woodburn	City	New roadway	Construct a new Access Street connecting Hayes Street to Stubb Street	Medium	\$5,150,000
R28	OR 99E/Industrial Avenue Intersection	State/City	Intersection - geometric considerations	Evaluate the intersection layout, control, signing, and striping, including any sight distance constraints in coordination with ODOT	Medium	\$100,000
R29	South Arterial	City	New roadway	Construct the Southern Arterial from Evergreen Road to OR 99E (2 lanes)	Medium	\$12,250,000
R30	Woodland Avenue Curve Modification	City	Intersection - geometric considerations	Modify the intersection layout to address truck turning movement constraints	Medium	\$100,000
R31	George Street/Hillsboro Silverton Highway Intersection	State/City	Intersection - geometric considerations	As identified in the Highway 99E Corridor Plan, close vehicular access to George Street from Hillsboro Silverton Highway when future local street access is provided to the east	Medium	\$60,000
<b>TOTAL High Priority Costs</b>						<b>\$9,200,000</b>
<b>TOTAL Medium Priority Costs</b>						<b>\$74,670,000</b>
<b>TOTAL Low Priority Costs</b>						<b>\$500,000</b>
<b>TOTAL Program Costs (20 years)</b>						<b>\$84,370,000</b>

1. Project to be funded by others

2. The cost estimates presented to not include costs associated with right-of-way acquisition due to its high variability depending on location, parcel sizes, and other characteristics.

*This page intentionally left blank*



- Intersection - Geometric Considerations
- Traffic Control/Traffic Signal Timing
- New Roadway
- Roadway Widening/Modernization
- City Boundary
- Urban Growth Boundary

**Roadway Plan Elements  
Woodburn, Oregon** Figure  
**3**

Note: All new roadway alignments are approximate and subject to further refinement.

Coordinate System: NAD 1983 HARN StatePlane Oregon North FIPS 3601 Feet Intl  
Data Source: City of Woodburn, Oregon Department of Transportation

H:\1212\1071 - Woodburn TSP Update\GIS\TSP03 Roadway Plan Elements.mxd - mmccormick - 5:26 PM 9/16/2019

*This page intentionally left blank*

## FREIGHT PLAN

Efficient truck movement plays a vital role in the economical movement of raw materials and finished products. The designation of freight routes provides for this efficient movement while at the same time maintaining neighborhood livability, public safety, and minimizing maintenance costs of the roadway system. Per the Oregon Highway Plan (OHP), the only designated freight route in Woodburn is I-5. In addition, OR 214 is designated a National Network Truck Route per ODOT TransGIS information online. Freight routes are shown on Figure 4, identifying freight routes and freight ways throughout Woodburn that facilitate the movement of freight in the city.

### **National Highway System Routes**



The National Highway System (NHS) is designated by the US Department of Transportation Federal Highway Administration and includes roadways that are “important to the nation’s economy, defense, and mobility.”<sup>2</sup> Within Woodburn, I-5 is part of the Eisenhower Interstate System and OR 219, OR 214, and OR 99E are classified as MAP-21 NHS Principal Arterials.

---

<sup>2</sup> [https://www.fhwa.dot.gov/planning/national\\_highway\\_system/](https://www.fhwa.dot.gov/planning/national_highway_system/)

*This page intentionally left blank*





**ODOT Routes**

- ▬ Freight Route
- ▬ National Network Truck Route

**City of Woodburn Routes**

- ▬ Truck Route
- ▬ Truck Way
- - - Future Truck Route
- - - Future Truck Way

- City Boundary
- Urban Growth Boundary

**Freight Routes  
Woodburn, Oregon**

**Figure  
4**

Note: Future roadway alignments are approximate and subject to future refinement.

*This page intentionally left blank*

## TRAFFIC SAFETY PLAN

Traffic safety has a significant impact on how people use the transportation system within Woodburn, particularly in areas where real or perceived safety risks prevent people from using more active travel modes, such as walking, biking, and taking transit. Table 3 identifies the traffic safety projects that will be included in the Woodburn TSP update. Additional safety projects and improvements are identified as part of the pedestrian, bicycle, and transit plans later in the document, in addition to the safety-related projects already discussed in the roadway plan previously in this section. Figure 5 illustrates the traffic safety plan projects.

**Table 3: Traffic Safety Projects**

Project Number	Location	Responsible Jurisdiction	Type	Description	Priority	Cost Estimate <sup>2</sup>
S1	Southern OR 219/Butteville Road	State/County	Intersection - geometric considerations	Enhanced traffic control (traffic signal, roundabout, or other appropriate geometric enhancements) if/when warranted and in coordination with ODOT	High	Cost included in R1
S2	Northern OR 214/Butteville Road Intersection	State/County	Intersection - geometric considerations	Enhanced traffic control (traffic signal, roundabout, or other appropriate geometric enhancements) if/when warranted and in coordination with ODOT	Medium	\$500,000 to \$2,000,000 <sup>1</sup>
S3	Front Street/Lincoln Street Intersection	City	Intersection	Enhanced signs and pavement markings (e.g. stop signs, warning signs, and/or beacons)	Medium	\$50,000
S4	Front Street/Young Street/Garfield Street Intersection	City	Intersection - geometric considerations	Evaluate the intersection layout, signing, and striping in correlation to the railroad tracks. Provide clarification for westbound drivers trying to proceed through the intersection	High	\$100,000
S5	OR 99E	City	Lighting	As identified in the Highway 99E Corridor Plan, update roadway lighting to meet ODOT roadway lighting standards in coordination with ODOT	Medium	\$2,150,000
S6	OR 99E access between Young Street and Cleveland Street	State	Intersection	As identified in the Highway 99E Corridor Plan and in coordination with ODOT:  Restrict left-turn movements and eventually close the Silverton Avenue intersection on OR 99E and vacate the segment of Silverton Avenue between OR 99E and Birds Eye Avenue  Restrict left-turn movements onto Birds Eye Avenue from Hillsboro Silverton Highway and eventually close the Birds Eye Avenue intersection on Hillsboro Silverton Highway and vacate the segment of Birds Eye Avenue between Hillsboro Silverton Highway and Silverton Avenue	Medium	\$60,000

Project Number	Location	Responsible Jurisdiction	Type	Description	Priority	Cost Estimate <sup>2</sup>
S7	OR 99E/Tomlin Avenue	State	Intersection - geometric considerations	Evaluate the intersection layout, signing, and striping in coordination with ODOT, including any sight distance constraints. Consider restricting the southbound left-turn movement	High	\$100,000
S8	Butteville Road/Parr Road	County	Intersection - geometric considerations	Modify intersection to address existing sight distance and geometric limitations	Medium	\$1,000,000
S9	City-wide	State/ County/City	Study	Evaluate traffic safety along OR 99E, OR 219/OR214, Front Street, Evergreen Road, and other key corridors to identify appropriate countermeasures	Low	\$100,000
S10	Settlemer Avenue/Hayes Street	City	Intersection - geometric considerations	Enhanced traffic control (traffic signal, roundabout, or other appropriate geometric enhancements)	High	\$500,000 to \$2,000,000 <sup>1</sup>
<b>TOTAL High Priority Costs</b>						<b>\$2,200,000</b>
<b>TOTAL Medium Priority Costs</b>						<b>\$5,260,000</b>
<b>TOTAL Low Priority Costs</b>						<b>\$100,000</b>
<b>TOTAL Program Costs (20 years)</b>						<b>\$7,560,000</b>



1. A cost estimate range is provided to allow for a design project to determine the appropriate intersection control using additional data, such as right-of-way information and surrounding environmental conditions. \$500,000 is the planning-level cost estimate if a traffic signal is determined, and \$2,000,000 is the planning-level cost estimate if a roundabout is determined. The higher cost estimate was included in all totals.

2. The cost estimates presented do not include costs associated with right-of-way acquisition due to its high variability depending on location, parcel sizes, and other characteristics.

## LOCAL STREET CONNECTIVITY PLAN

As indicated above, the street system within Woodburn is largely built-out. Therefore, there are limited opportunities for new arterial, Service Collector, or Access Streets. However, there are opportunities for new local streets in select areas throughout the city that could improve access and circulation for all travel modes.

Figure 6 illustrates the general location of the local street connections identified for the Woodburn TSP update. Roadway alignments for each connection are not provided as they are anticipated to be determined as part of future development. Costs are not provided for these projects as they are anticipated to be constructed by future development. Any local street connectivity projects that are desired to be city-initiated projects should be identified as a high priority and included in the cost-constrained plan.



- Intersection
- Intersection - Geometric Considerations
- Safety Study Corridor
- Lighting
- Future Roadway
- City Boundary
- Urban Growth Boundary


0 1,000 2,000 3,000 Feet





**Traffic Safety Plan Elements  
Woodburn, Oregon** **Figure  
5**

Note: Future roadway alignments are approximate and subject to further refinement.

Coordinate System: NAD 1983 HARN StatePlane Oregon North FIPS 3601 Feet Intl  
Data Source: City of Woodburn, Oregon Department of Transportation

H:\1212\1071 - Woodburn TSP Update\GIS\TSP05 Traffic Safety Plan Elements.mxd - mmccombk - 5:29 PM 9/18/2019



-  Future Local Street Connection
-  Future Roadway
-  City Boundary
-  Urban Growth Boundary

Note: Future roadway alignments are approximate and subject to further refinement.

**Local Street Connectivity Plan  
Woodburn, Oregon**

**Figure  
6**

H:\1212\1071 - Woodburn TSP Update\GIS\TSP\06 Local Street Connectivity Plan.mxd - mmccormick - 5:46 PM 9/16/2019

Coordinate System: NAD 1983 HARN StatePlane Oregon North FIPS 3601 Feet Intl  
Data Source: City of Woodburn, Oregon Department of Transportation



---

# 4 TRANSIT SYSTEM

---

Existing Transit Service  
Transit Plan Projects and Programs

*This page intentionally left blank*



## TRANSIT SYSTEM

Public transportation can provide important connections to destinations for people that do not drive or bike and can provide an additional option for all transportation system users. Transit complements walking, bicycling, or driving trips: users can walk to and from transit stops and their homes, shopping or work places, people can drive to park-and-ride locations to access a bus, or people can bring their bikes on transit vehicles and bicycle from a transit stop to their final destination.

### EXISTING TRANSIT SERVICE

The transit system within Woodburn consists of fixed-route and paratransit services as well as school and shuttle bus service.

#### **Fixed-Route Service**

Public transportation in Woodburn today is provided by Woodburn Transit Service, Cherriots Regional, and Canby Area Transit, as described below. Figure 7 shows the existing transit facilities.

#### **Woodburn Transit Service**

Woodburn Transit Service operates a fixed-route bus line in Woodburn, providing connections throughout town as shown in Figure 7. As shown, fixed-route transit service is provided along the major east-west corridors linking neighborhoods to all major retail and commercial areas. The route also connects to the Woodburn Memorial Transit Facility located off of OR 214. Service is provided from 7:00 AM to 7:00 PM at approximately 1-hour headways.

#### **Cherriots Regional**

Cherriots Regional operates the *10X Woodburn/Salem Express* bus line that provides weekday service between Salem and Woodburn along the 99E corridor. Stops are located along Front Street, OR 214, Settlemier Avenue and Downtown Woodburn. Cherriots Regional also operates the *20X N. Marion Co./Salem Express* bus line that provides weekday services between Salem, Silverton, and Woodburn. Stops are located along OR 214 and 99E. The service operates Monday – Friday from 7:30 AM – 7:00 PM with 2 to 2.5 hour headways.

#### **Canby Area Transit**

Canby Area Transit (CAT) operates the *Route 99* bus line which provides daily bus service between Woodburn and Canby along the 99E corridor. The Woodburn stop is located near the 99E/OR 214 intersection. The service operates Monday – Friday from 6:30 AM – 8:00 PM with headways that range from 1 to 2.5 hours.

## Dial-A-Ride Service

Woodburn provides Dial-A-Ride service for people with disabilities and the elderly living within Woodburn who are not able to utilize the fixed route bus. The service operates Monday - Friday from 7:00 AM - 7:00 PM and utilizes a fully accessible van. The van provides door to door service for any purpose to any location within the Woodburn City limits.

The Dial-A-Ride program also arranges for volunteer drivers to take elderly Woodburn residents and those with disabilities to medical appointments in all areas between Portland and Salem. Requests for service must be made at least one day in advance.

## Other Services

### Greyhound

The Greyhound bus service provides a regional transportation option, with buses to Portland from Woodburn three times per day. The station is located on Front Street and is open from 9 a.m. to 8 p.m. everyday.

### Park-and-Rides



The Woodburn Memorial Transit Facility (Park& Ride) is located off of Evergreen Road north of OR 214. Woodburn Transit Service regularly stops at the park & ride facility. The Cascades POINT bus service, operated by MTR Western in partnership with ODOT, makes 2 daily northbound stops and 2 daily southbound stops at the new transit facility. Riders can buy tickets to go as far as Eugene to the south, and Portland to the north. Schedule and ticket information is available at the website and the Amtrak Cascades site.



Woodburn Memorial Transit Center



Bus



- Woodburn Transit Stops
- Woodburn City Transit Loop
- Canby Area Transit (CAT) Stops
- Canby Area Transit (CAT) Routes
- Cherriots Transit Stops
- Cherriots Transit Routes
- P Park N' Ride Lots
- City Boundary
- Urban Growth Boundary

**Existing Transit Routes and Facilities  
Woodburn, Oregon**

**Figure  
7**

H:\12121071 - Woodburn TSP Update\GIS\TSP07 Existing Transit Facilities.mxd - rmmccormick - 5:47 PM 9/16/2019

Coordinate System: NAD 1983 HARN StatePlane Oregon North FIPS 3601 Feet Intl  
Data Source: City of Woodburn, Oregon Department of Transportation

*This page intentionally left blank*

## TRANSIT PLAN PROJECTS AND PROGRAMS

Public transit service within Woodburn is provided by Woodburn Transit Service, supplemented by regional service provided by Cherriots Regional and Canby Area Transit. In addition to coordinating as needed with local and regional transit agencies to help implement their planned service enhancements, the City of Woodburn can support improved transit service by providing easy and safe walking and bicycling connections between key roadways, neighborhoods, and local destinations; by providing amenities, such as shelters and benches, at transit stops; by encouraging an appropriate mix and density of uses that support public transit; and by providing and planning for park-and-ride locations. Table 4 summarizes the transit plan identified for Woodburn.

**Table 4: Transit Plan**

Project Number	Location	Responsible Jurisdiction	Description	Priority	Cost Estimate
T1	Woodburn Fleet	Woodburn Transit/City	Coordinate with Woodburn Transit to deliver service enhancements funded through the STIF:  Purchase of Category B and C vehicles (1 each) for use in the City's expanded transit services. (100% funding level 2020-21)	Medium	\$5,000
T2	Woodburn Fleet	Woodburn Transit/City	Coordinate with Woodburn Transit to deliver service enhancements funded through the STIF:  Purchase a Category B vehicle that will replace the second oldest full-size vehicle in the WTS fleet; will be used for the City's existing local fixed route circulator. (130% funding level 2021)	Medium	\$5,000
T3	Woodburn Fixed Route	Woodburn Transit/City	Coordinate with Woodburn Transit to deliver service enhancements funded through the STIF:  Addition of weekend service for Woodburn Transit Service fixed route and paratransit services (Sat. 9am-5pm, Sun.9am-3pm) by up to 2,156 revenue hours (FY20-21). (100% funding level 2020-21)	Medium	\$5,000
T4	Woodburn Fixed Route	Woodburn Transit/City	Coordinate with Woodburn Transit to deliver service enhancements funded through the STIF:  Modify the existing 60-minute fixed route loop; add an additional 30-minute route that will serve high frequency stops on weekdays (7am-7pm) within the Woodburn city limits. Total additional service will be up to 6,192 revenue hours (FY20-21). (100% funding level 2020-21)	Medium	\$5,000
T5	Woodburn Fixed Route	Woodburn Transit/City	Coordinate with Woodburn Transit to deliver service enhancements funded through the STIF:  Modify the existing 60-min. fixed route by adding a new 30 min. route that serves high frequency stops (up to 1,456 revenue hours); this service will operate Saturdays (9am-5pm) and Sundays (9am-3pm). Also includes Dial-a-Ride (DAR) service. (130% funding level 2020-21)	Medium	\$5,000

Project Number	Location	Responsible Jurisdiction	Description	Priority	Cost Estimate
T6	Woodburn Fixed Route	Woodburn Transit	Increase frequency of existing route to 30 minutes	Medium	\$0 <sup>1</sup>
T7	Woodburn Fixed Route	Woodburn Transit	Convert existing route to two-way operations	Medium	\$0 <sup>1</sup>
T8	City-wide	Woodburn Transit/City	<p>Work with Woodburn Transit as growth occurs to provide new or re-routed service to other areas of Woodburn including:</p> <ul style="list-style-type: none"> <li>• Parr Road via an extension of Evergreen Road</li> <li>• Crosby Road</li> <li>• Butteville Road</li> <li>• The employment center southwest of the I-5/OR 214 interchange</li> <li>• Woodburn Industrial Park along the Progress Way and Industrial Avenue corridors</li> <li>• Gateway subarea between Front Street and Mill Creek</li> <li>• Neighborhoods in southeast Woodburn</li> </ul>	Medium	\$5,000
T9	Woodburn Company Stores	Woodburn Transit/City	Coordinate with Woodburn Transit to establish a free shuttle between the Woodburn Company Stores and Downtown Woodburn, hourly during peak shopping and entertainment hours	Medium	\$5,000
T10	City-wide	Woodburn Transit/City	Coordinate with Woodburn Transit and major employers to establish a peak-only employer shuttle	Medium	\$5,000
T11	Urban and Rural Cherriots Regional Services	Cherriots/City	<p>Coordinate with Cherriots to deliver service enhancements funded through the STIF:</p> <p>Expand service for up to 7,557 revenue hours on urban &amp; rural Regional services. Includes startup costs for hiring new employees, and coordination of schedules with connecting services. Also establishes a Youth fare category (ages 6-18). (100% funding level 2020-21)</p>	Medium	\$5,000
T12	Keizer to Wilsonville	Cherriots/City	<p>Coordinate with Cherriots to deliver service enhancements funded through the STIF:</p> <p>Establish one new Regional route from Keizer to Wilsonville with a stop at the Woodburn Memorial Park and Ride. Increase service on weekdays by 30 percent on urban &amp; rural Regional services by up to 5,245 revenue hours. (130% funding level 2020-21)</p>	Medium	\$5,000
T13	Urban and Rural Cherriots Regional Services	Cherriots/City	<p>Coordinate with Cherriots to deliver service enhancements funded through the STIF:</p> <p>Add Saturday service to urban &amp; rural Cherriots Regional services with up to 3,919 revenue hours of new service (FY20-21). Includes coordination of schedules with other connecting services. (100% funding level 2020-21)</p>	Medium	\$5,000

Project Number	Location	Responsible Jurisdiction	Description	Priority	Cost Estimate
T14	Urban and Rural Cherriots Regional Services	Cherriots/City	Coordinate with Cherriots to deliver service enhancements funded through the STIF:  Add 30 percent more Saturday service to urban & rural Regional services by up to 215 revenue hours (FY20-21). In FY21, adds 6 holidays to the same routes. Includes coordination of schedules with connecting services. (130% funding level 2020-21)	Medium	\$5,000
T15	City-wide	Woodburn Transit/ Cherriots/City	Coordinate transfers between the different agency services in Woodburn	Medium	\$5,000
T16	Woodburn	Cherriots/City	Coordinate with Cherriots to provide a stop in Woodburn for SMART Route 1X, providing service to WES station in Wilsonville and downtown Salem	Medium	\$5,000
T17	Woodburn to Portland	Cherriots/City	Coordinate with Cherriots to consider further new service connections for Woodburn including: <ul style="list-style-type: none"> <li>Service to Portland - connect to TriMet via the Tualatin Park-and-Ride, directly into downtown Portland, or the MAX Orange Line light rail service.</li> <li>Demand-responsive service to Hubbard one day per week</li> </ul>	Medium	\$5,000
T18	City-wide	Woodburn Transit/ Cherriots	Evaluate all bus stops to verify static bus route information signage is visible and accessible and that bike racks are available at major bus stops	Medium	\$25,000
T19	Stop 755016: Walmart	Woodburn Transit	New shelter	Low	\$5,000
T20	Stop 20419: Garfield Street	Woodburn Transit	New shelter	Low	\$5,000
T21	City-wide	Woodburn Transit	Investigate transferring the paratransit system to a local social service agency	Low	\$5,000
<b>TOTAL High Priority Costs</b>					<b>\$0</b>
<b>TOTAL Medium Priority Costs</b>					<b>\$100,000</b>
<b>TOTAL Low Priority Costs</b>					<b>\$15,000</b>
<b>TOTAL Program Costs (20 years)</b>					<b>\$115,000</b>

1. Project to be funded by others.

*This page intentionally left blank*





---

# 5 PEDESTRIAN SYSTEM

---

Pedestrian Facilities  
Pedestrian Plan Projects

*This page intentionally left blank*

## PEDESTRIAN SYSTEM

Woodburn's pedestrian system consists of sidewalks, pedestrian crossings, and multi-use paths. A majority of city streets currently have sidewalks on at least one side of the roadway. The pedestrian plan includes several projects to construct new sidewalks where they are lacking and to fill in the gaps in the existing sidewalks along the city's streets. Although many of the pedestrian projects are located on Service Collector streets or higher, a few local street pedestrian projects are included to provide access to essential destinations such as schools, parks, churches, and other land uses. The pedestrian plan also includes several enhanced pedestrian crossings, multi-use paths, and accessways that support the pedestrian system.

## PEDESTRIAN FACILITIES

This section summarizes the facility types integrated into the pedestrian plan, addressing gaps and deficiencies identified in the existing system and forecast as part of future needs.

### Sidewalks

Sidewalks are the fundamental building blocks of the pedestrian system. They enable people to walk comfortably, conveniently, and safely from place to place. They also provide an important means of mobility for people with disabilities, families with strollers, and others who may not be able to travel on an unimproved roadside surface. Sidewalks are usually 6 to 8-feet wide and constructed from concrete. They are also frequently separated from the roadway by a curb, landscaping, and/or on-street parking. Sidewalks are widely used in urban and suburban settings. Ideally, sidewalks could be provided along both sides of the roadway; however, some areas with physical or right-of-way constraints may require that sidewalk be located on only one side. Sidewalk solutions include:

- Fill in the gaps
- Install sidewalks on one-side of the roadway
- Install sidewalks on both sides of the roadway
- Re-construct existing sidewalks with appropriate width and buffer
- Improve existing sidewalks with appropriate lighting

### Accessways

Non-vehicular connections between cul-de-sacs and adjacent roadways can significantly reduce travel distances for pedestrians, thereby encouraging more people to walk. Woodburn has a few existing accessways that create connections between neighborhoods and pedestrian and bicycle routes. Potential new connections could use existing City right-of-way between cul-de-sacs or unconnected roadways to provide a paved path, unpaved path, or trail for non-motorized use.



Sidewalk Gap



Sidewalk Improvements

### Multi-use Paths and Trails

Multi-use paths are paved, bi-directional trails that can serve both pedestrians and bicyclists. Multi-use paths and trails can be constructed adjacent to roadways where the topography, right-of-way, or other issues don't allow for the construction of sidewalks and bike facilities. A minimum width of 10 feet is recommended for low-pedestrian/bicycle-traffic contexts; 12 to 20 feet should be considered in areas with moderate to high levels of bicycle and pedestrian traffic. Multi-use paths can be used to create longer-distance links within and between communities. They play an integral role in recreation, commuting, and accessibility due to their appeal to users of all ages and skill levels.



Accessways



Multi-use Paths and Trails

## Enhanced Pedestrian Crossings

Pedestrian crossing facilities enable pedestrians to safely cross streets, railroad tracks, and other transportation facilities. Planning for appropriate pedestrian crossings requires the community to balance vehicular mobility needs with providing crossing locations for desired routes of walkers. Enhanced pedestrian crossing treatments include:

- Median refuge islands
- High visibility pavement markings and signs
- Rapid rectangular flashing beacons (RRFB)
- Pedestrian Hybrid Beacons
- Curb extensions
- Pedestrian signals
  - Pedestrian countdown heads
  - Leading Pedestrian interval

Many of the treatments listed above can be applied together at one crossing location to further alert drivers of the presence of pedestrians in the roadway. See Attachment "A" for a detailed description of enhanced pedestrian crossing treatments.



Enhanced Pedestrian Crossing with RRFBs



Enhanced Pedestrian Crossing with Pedestrian Signal

## PEDESTRIAN PLAN PROJECTS

Table 5 identifies the pedestrian plan projects for the Woodburn TSP update. As shown, the projects are separated into projects based on roadway classification, as well as projects at intersections and in other locations throughout the city. The priorities shown in Table 5 are based on the project evaluation criteria as well as input from the project team and the general public. The cost estimates are based on average unit costs for roadway improvements. Table 8 illustrates the location of the pedestrian plan projects.

**Table 5: Pedestrian Plan Projects**

Project Number	Location	Responsible Jurisdiction	Type	Description	Priority	Cost Estimate <sup>3</sup>
Major Arterials						
P1	OR 219 from Butteville Road to Willow Avenue	State	New sidewalks	Install new sidewalks in coordination with ODOT	Medium	Cost included in R2 <sup>2</sup>
P2	OR 99E from Lincoln Street to southern City Boundary	State	New sidewalks	Remove existing sidewalks and install new sidewalks in coordination with ODOT	Medium	Cost included in R4 <sup>2</sup>
P3	OR 99E from southern City Boundary to southern UGB	State	New sidewalks	Install new sidewalks in coordination with ODOT	Low	Cost included in R4 <sup>2</sup>
Minor Arterials						
P4	Butteville Road/OR 219 from northern UGB to OR 219	State/County	New sidewalks	Install new sidewalks in coordination with ODOT	Medium	\$1,500,000
P5	Butteville Road from OR 219 to southern UGB	County	New sidewalks	Install new sidewalks	Medium	Cost included in R6 <sup>2</sup>
P6	Evergreen Road from Stacy Allison Way to Boean Lane	City	Sidewalks - Fill in gaps	Fill in the gaps	High	\$200,000
P7	Boones Ferry Road from northern UGB to Hazelnut Drive	County/City	New sidewalks	Install new sidewalks on one side	Medium	\$150,000
P8	Settlemer Avenue from Oak Street to Parr Road	City	New sidewalks	Install new sidewalks on one side. This project improves safe routes to school for Nellie Muir Elementary School, Heritage Elementary School, and Valor Middle School	High	\$300,000
P9	Boones Ferry Road from Parr Road to southern UGB	County/City	New sidewalks	Install new sidewalks. This project improves safe routes to school for Heritage Elementary School and Valor Middle School	High	\$800,000
P10	Front Street from northern UGB to Hazelnut Drive	City	New sidewalks	Install new sidewalks on one side. This project improves safe routes to school for Woodburn High School	High	\$400,000
P11	Young Street	City	Sidewalks - Fill in gaps	Fill in the gaps	Medium	\$200,000
P12	OR 211 from OR 99E to eastern UGB	State	New sidewalks	Install new sidewalks in coordination with ODOT	Medium	\$500,000

Project Number	Location	Responsible Jurisdiction	Type	Description	Priority	Cost Estimate <sup>3</sup>
<b>Service Collectors</b>						
P13	Hayes Street from Harvard Drive to Settlemier Avenue	City	Sidewalks - Fill in gaps	Fill in the gaps. This project improves safe routes to school for Nellie Muir Elementary School	High	\$600,000
P14	Parr Road from western UGB to western City Boundary	County	New sidewalks	Install new sidewalks. This project improves safe routes to school for Heritage Elementary School and Valor Middle School	High	Cost included in R5 <sup>2</sup>
P15	Lincoln Street from Cascade Drive to OR 99E	City	Sidewalks - Fill in gaps	Fill in the gaps. This project improves safe routes to school for Washington Elementary School	High	\$450,000
P16	Industrial Avenue from Progress Way to OR 99E	City	New sidewalks	Install new sidewalks	Medium	\$500,000
P17	Progress Way from Industrial Avenue to OR 214	City	New sidewalks	Install new sidewalks	Medium	\$850,000
P18	Hardcastle Avenue from Front Street to Cooley Road	City	Sidewalks - Fill in gaps	Fill in the gaps. This project improves safe routes to school for Washington Elementary School	High	\$450,000
P19	Brown Street from Cleveland Street to end of roadway	City	Sidewalks - Fill in gaps	Fill in the gaps	Medium	Cost included in R7 <sup>2</sup>
P20	Cooley Road from OR 211 to Hardcastle Avenue	County	Sidewalks - Fill in gaps	Fill in the gaps	Medium	\$650,000
<b>Access Streets</b>						
P21	Woodland Avenue from Jory Street to Arney Road	City	New sidewalks	Install new sidewalks on one side	Medium	\$250,000
P22	Stubb Road from Harvard Drive to Parr Road	County	New sidewalks	Install new sidewalks	Medium	Cost included in R26 <sup>2</sup>
P23	Oregon Way from Country Club Road to OR 214	City	New sidewalks	Install new sidewalks	Medium	\$250,000
P24	Hazelnut Drive from Graystone Drive to Front Street	City	Sidewalks - Fill in gaps	Fill in the gaps. This project improves safe routes to school for Woodburn High School	High	\$150,000

Project Number	Location	Responsible Jurisdiction	Type	Description	Priority	Cost Estimate <sup>3</sup>
P25	Gatch Street from Hardcastle Road to Cleveland Street	City	Sidewalks - Fill in gaps	Fill in the gaps. This project improves safe routes to school for Washington Elementary School	High	\$350,000
P26	Park Avenue from Hardcastle Avenue to Lincoln Street	City	New sidewalks	Install new sidewalks on one side. This project improves safe routes to school for Washington Elementary School	High	\$65,000
<b>Local Streets</b>						
P27	Willow Avenue from McNaught Road to OR 219	City	New sidewalks	Install new sidewalks on both sides	Medium	\$350,000
P28	Cascade Drive from OR 214 to Hayes Street	City	New sidewalks	Install new sidewalks. This project improves safe routes to school for Nellie Muir Elementary School	High	\$400,000
P29	Ben Brown Lane from end of roadway to Boones Ferry Road	City	Sidewalks - Fill in gaps	Fill in the gaps	Medium	\$200,000
P30	Oak Street from Boones Ferry Road to Front Street	City	New sidewalks	Install new sidewalks on one side	Medium	\$150,000
P31	Ogle Street from Cleveland Street to Boones Ferry Road	City	New sidewalks	Install new sidewalks on one side	Medium	\$900,000
<b>Pedestrian Crossing Enhancements</b>						
P32	Front Street/Young Street	City	Enhanced crossing	Construct ADA-compliant ramps and sidewalks on the east leg of the intersection	Medium	\$15,000
P33	Front Street/Lincoln Street	City	Enhanced crossing	Construct ADA-compliant ramps and sidewalks on the east leg of the intersection. This project improves safe routes to school for St Luke's School	High	\$15,000
P34	Cascade Drive/Hayes Street	City	Enhanced crossing	Install an enhanced pedestrian crossing. This project improves safe routes to school for Nellie Muir Elementary School	High	\$65,000
P35	Park Avenue/Legion Park Driveway	City	Enhanced crossing	Install an enhanced pedestrian crossing. This project improves access to Legion Park	Medium	\$65,000
P36	Hazelnut Drive/Broadmoor Place Accessway	City	Enhanced crossing	Install an enhanced pedestrian crossing. This project improves safe routes to school for Woodburn High School	High	\$65,000



Project Number	Location	Responsible Jurisdiction	Type	Description	Priority	Cost Estimate <sup>3</sup>
P37	OR 214/N Bulldog Drive	State/City	Enhanced crossing	As identified in the Woodburn OR 214/OR 99E Pedestrian Safety Study, update the existing crossing to an enhanced pedestrian crossing with a pedestrian hybrid beacon coordinated with the surrounding traffic signals in coordination with ODOT. This project improves safe routes to school for Woodburn High School	High	\$150,000
P38	OR 99E from OR 214 to Young Street	State/City	Enhanced crossing – Signalized intersection	As identified in the Highway 99E Corridor Plan, install countdown pedestrian timers and construct ADA enhancements at key signalized intersections along OR 99E in coordination with ODOT, including: <ul style="list-style-type: none"> <li>• OR 214/OR 211</li> <li>• Hardcastle Avenue</li> <li>• Lincoln Road</li> <li>• Young Street</li> </ul>	Medium	\$605,000
P39	OR 99E from OR 214 to Young Street	State/City	Enhanced crossing	As identified in the Highway 99E Corridor Plan, install curb extensions on minor street legs of intersections (curb extensions to shorten pedestrian crossing distances parallel to OR 99E, not for crossing of OR 99E) between Arlington Street and Cleveland Street (up to 8 locations) in coordination with ODOT. Potential locations include: <ul style="list-style-type: none"> <li>• Alexandria Avenue</li> <li>• James Street</li> <li>• Williams Street</li> <li>• Blaine Street</li> <li>• Aztec Drive</li> <li>• Laurel Avenue</li> <li>• Tomlin Avenue</li> </ul>	Medium	\$950,000
P40	OR 99E, north of Williams Street	State/City	Enhanced crossing	As identified in the Woodburn OR 214/OR 99E Pedestrian Safety Study, install an enhanced pedestrian crossing in coordination with ODOT, that may include raised median refuge island, sidewalk infill, supplemental street lighting, and a potential RRFB (RRFB cost not included).	High	\$75,000
P41	OR 99E, between NE Laurel Avenue and Tomlin Avenue	State/City	Enhanced crossing	As identified in the Woodburn OR 214/OR 99E Pedestrian Safety Study, install an enhanced pedestrian crossing in coordination with ODOT, that may include raised median refuge island, sidewalk infill, supplemental street lighting, and a potential RRFB (RRFB cost not included).	High	\$75,000

Project Number	Location	Responsible Jurisdiction	Type	Description	Priority	Cost Estimate <sup>3</sup>
P42	OR 99E, between Blaine Street and Aztec Drive	State/City	Enhanced crossing	As identified in the Woodburn OR 214/OR 99E Pedestrian Safety Study, install an enhanced pedestrian crossing in coordination with ODOT, that may include raised median refuge island, sidewalk infill, supplemental street lighting, and a potential RRFB (RRFB cost not included).	High	\$75,000
P43	OR 99E, north of Mount Jefferson Avenue	State/City	Enhanced crossing	As identified in the Woodburn OR 214/OR 99E Pedestrian Safety Study, install an enhanced pedestrian crossing in coordination with ODOT, that may include raised median refuge island, sidewalk infill, supplemental street lighting, and a potential RRFB (RRFB cost not included).	Medium	\$75,000
P44	OR 99E, north of James Street	State/City	Enhanced crossing	As identified in the Woodburn OR 214/OR 99E Pedestrian Safety Study, install an enhanced pedestrian crossing in coordination with ODOT, that may include raised median refuge island, sidewalk infill, supplemental street lighting, and a potential RRFB (RRFB cost not included).	Medium	\$75,000
P45	Boones Ferry Road/ Constitution Avenue/Tukwila Drive	City	Enhanced crossing	Install an enhanced pedestrian crossing. This project improves safe routes to school for Woodburn High School	High	\$65,000
<b>Multi-use Pathways</b>						
P46	Mill Creek Greenway	City	Multi-use pathway	<p>As identified in the Mill Creek Greenway Master Plan, construct a multi-use path including at-grade mid-block crossing treatments at the following street connections:</p> <ul style="list-style-type: none"> <li>• Hazelnut Drive</li> <li>• Bulldog Drive (east crossing)</li> <li>• OR 214 (state highway)</li> <li>• Hardcastle Avenue</li> <li>• Lincoln Street</li> <li>• Young Street</li> <li>• Cleveland Street and railroad tracks</li> </ul> <p>This project improves safe routes to school for Woodburn High School</p>	High	\$2,000,000


Project Number	Location	Responsible Jurisdiction	Type	Description	Priority	Cost Estimate <sup>3</sup>
P47	Mill Creek Greenway – Northern tributary	City	Multi-use pathway	<p>As identified in the Mill Creek Greenway Master Plan, construct a multi-use path including at-grade mid-block crossing treatments at the following street connections:</p> <ul style="list-style-type: none"> <li>• Bulldog Drive (west crossing)</li> <li>• Meridian Drive</li> <li>• Boones Ferry Road</li> </ul> <p>This project improves safe routes to school for Woodburn High School, Lincoln Elementary School, and French Prairie Middle School</p>	Medium	\$700,000
P48	Mill Creek Greenway – Western tributary	City	Multi-use pathway	<p>As identified in the Mill Creek Greenway Master Plan, construct a multi-use path including at-grade mid-block crossing treatments at the following street connections:</p> <ul style="list-style-type: none"> <li>• Parr Road</li> <li>• Ben Brown Lane</li> <li>• Settlemier Avenue</li> <li>• Front Street and railroad tracks</li> </ul> <p>This project improves safe routes to school for Heritage Elementary School and Valor Middle School</p>	Medium	\$900,000
P49	Evergreen Road Multi-Use Path	City	Multi-use pathway	Construct a multi-use path extending from Evergreen Road south to planned Mill Creek Greenway	Medium	\$150,000
P50	Washington Elementary School Multi-Use Path	City	Multi-use pathway	As identified in the Mill Creek Greenway Master Plan, construct a north-south multi-use path connection between Hardcastle Avenue and Lincoln Street, west of Washington Elementary School. This project improves safe routes to school for Washington Elementary School	Medium	\$90,000
P51	Mill Creek Greenway - Southern extension	City	Multi-use pathway	As identified in the Highway 99E Corridor Plan, construct extension of Mill Creek Greenway multi-use path to Belle Passi Road	Medium	\$90,000
P52	Evergreen Road Pedestrian Connection	City	Multi-use pathway	Construct a connection between the Evergreen Road multi-use path and pedestrian facilities that are part of future development to the south	Medium	\$20,000
P53	Centennial Park Pedestrian Connection	City	Multi-use pathway	Construct a connection between the Centennial Park multi-use path and pedestrian facilities that are part of future development to the west	Medium	\$20,000
P54	Santiam Drive Pedestrian Connection	City	Multi-use pathway	Construct a connection between Santiam Drive and pedestrian facilities that are part of future development to the south	Medium	\$20,000

Project Number	Location	Responsible Jurisdiction	Type	Description	Priority	Cost Estimate <sup>3</sup>
P55	June Way Accessway	State/City	Multi-use pathway	As identified in the Highway 99E Corridor Plan and in coordination with ODOT, install a new accessway to OR 99E (near the Audrey Way intersection), may not connect directly as it runs parallel to OR 99E	Low	\$80,000
P56	Johnson Street Accessway	State/City	Multi-use pathway	As identified in the Highway 99E Corridor Plan and in coordination with ODOT, install a new accessway to OR 99E	Low	\$45,000
P57	Elm Street Accessway	State/City	Multi-use pathway	As identified in the Highway 99E Corridor Plan and in coordination with ODOT, install a new accessway to OR 99E, may not connect directly as it runs parallel to OR 99E	Low	\$25,000
P58	Wilson Street Accessway	State/City	Multi-use pathway	As identified in the Highway 99E Corridor Plan and in coordination with ODOT, install a new accessway to OR 99E	Low	\$55,000
P59	Hawley Street Accessway	State/City	Multi-use pathway	As identified in the Highway 99E Corridor Plan and in coordination with ODOT, install a new accessway to OR 99E (possibly part of future street extension), may not connect directly as it runs parallel to OR 99E	Low	\$55,000
P60	A Street Accessway	City	Multi-use pathway	Install a new accessway that connects A Street north to Cleveland Street and/or Mill Creek Greenway (western tributary).	Low	\$25,000
P61	Greenview Drive Multi-use Path	City	Multi-use pathway	Construct a multi-use path extending from Greenview Drive west to OR 99E	Low	\$70,000
P62 <sup>1</sup>	City-wide	City	Wayfinding	Provide wayfinding to bike routes, multi-use paths, parks, schools, and other essential destinations	Medium	\$30,000
<b>TOTAL High Priority Costs</b>						<b>\$6,750,000</b>
<b>TOTAL Medium Priority Costs</b>						<b>\$10,300,000</b>
<b>TOTAL Low Priority Costs</b>						<b>\$355,000</b>
<b>TOTAL Program Costs (20 years)</b>						<b>\$17,405,000</b>

1. Project not shown on Pedestrian Plan Map

2. Cost estimates are not included for projects that would be completed as part of a roadway project, such as locations where roadway widening will relocate the curb and require new sidewalks to be installed. The cost for these projects is included in the corresponding roadway projects described later in the memo.

3. The cost estimates presented do not include costs associated with right-of-way acquisition due to its high variability depending on location, parcel sizes, and other characteristics.



H:\21121071 - Woodburn TSP Update\GIS\TSP\08 Pedestrian Plan Elements.mxd - nmccormick - 5:48 PM 9/16/2019

- Enhanced Crossing
- New Multi-use Pathway
- Enhanced Crossing Corridor
- New Sidewalks
- Sidewalks - Fill in Gaps
- Street Lighting
- Future Roadway (See Roadway Plan for associated pedestrian enhancements)
- City Boundary
- Urban Growth Boundary

0 1,000 2,000 3,000 Feet

**Pedestrian Plan Elements  
Woodburn, Oregon** Figure  
**8**

Note: Future roadway alignments are approximate and subject to further refinement.

Coordinate System: NAD 1983 Oregon Statewide Lambert Feet Intl  
Data Source: City of Woodburn, Oregon Department of Transportation

*This page intentionally left blank*



---

# 6 BICYCLE SYSTEM

---

Bicycle Facilities  
Bicycle Plan Projects

*This page intentionally left blank*



## BICYCLE SYSTEM

Woodburn's bicycle system consists of on-street bike lanes and other bicycle provided on a few roadways within the city. The bicycle plan includes several projects along the city's Major and Minor Arterial and Service Collector streets for connectivity throughout the city. The bicycle plan also includes projects on access and local street that provide direct access to essential destinations.

## BICYCLE FACILITIES

### Alternative Routes

Designate an alternative route along a parallel street that provides a more comfortable environment for cyclists with the same level of connectivity. The alternative route could be identified by wayfinding signs, which could also be used to identify essential destinations that can be reached by the route. The alternative route may provide shared-lane pavement markings and signs, on-street bike lanes, or other bicycle facilities.

### Shared Lane Pavement Markings and Signs

Shared-lane pavement markings (often called "sharrows") are not a bicycle facility, but a tool designed to help accommodate bicyclists on roadways where bike lanes are desirable but infeasible to construct. Sharrows indicate a shared roadway space for cyclists and motorists and are typically centered in the travel lane or approximately four feet from the edge of the travelway. Sharrows are suitable on roadways with relatively low travel speeds (<35 mph) and low ADT (<3,000 ADT); however, they may also be used to transition between discontinuous bicycle facilities. Sharrows could be applied along a variety of streets within Woodburn where room for on-street bike lanes is limited.

### On-Street bike lanes

On-street bike lanes are striped lanes on the roadway dedicated for the exclusive use of cyclists. Bike lanes are typically placed at the outer edge of pavement (but to the inside of right-turn lanes and/or on-street parking). Bicycle lanes can improve safety and security of cyclists and (if comprehensive) can provide direct connections between origins and destinations. On-street bike lanes could be applied along a variety of streets within Woodburn where space allows.

### Separated Bike Facilities

Separated bike facilities include buffered bike lanes and separated bike lanes, or cycle tracks. Buffered bike lanes are on-street bike lanes that include an additional striped buffer of typically 2-3 feet between the bicycle lane and the vehicle travel lane and/or between the bicycle lane and the vehicle parking lane. They are typically located along streets that require a higher level of separation to improve the comfort of bicycling. Separated bike lanes, also known as cycle tracks, are bicycle facilities that are separated from motor vehicle traffic by a buffer and a physical barrier, such as planters, flexible posts, parked cars, or a mountable curb. One-way

separated bike lanes are typically found on each side of the street, like a standard bike lane, while two-way separated bike lanes are typically found on one side of the street.



On-street Bike Lanes



Buffered Bike Lanes

## Enhanced Crossings

Enhanced bicycle crossing facilities enable cyclists to safely cross streets, railroad tracks, and other transportation facilities. Planning for appropriate bicycle crossings requires the community to balance vehicular mobility needs with providing crossing locations that the desired routes of cyclists. Enhanced bicycle crossings include:

- Bike Boxes – designated space at an intersection that allows cyclists to wait in front of motor vehicles while waiting to turn or continue through the intersection.
- Two-Stage Left-turn Boxes – designated space at a signalized intersection outside of the travel lane that provides cyclists with a place to wait while making a two-stage left-turn.
- Pavement marking through intersections – pavement markings that extend and bike lane through an intersection.
- Bike Only Signals – A traffic signal that is dedicated for cyclists
- Bicycle Detection – Vehicle detection for bicycles

*Additional information on the enhanced bicycle crossing treatments is provided in Technical Memorandum 5: Alternative Analysis and Funding.*

## Wayfinding Signs

Wayfinding signs are signs located along roadways or at intersections that direct bicyclists towards destinations in the area and/or to define a bicycle route. They typically include distances and average walk/cycle times. Wayfinding signs are generally used on primary bicycle routes and multi-use paths.

## BICYCLE PLAN PROJECTS

Table 6 identifies the bicycle plan projects for the Woodburn TSP update. As shown, the projects are separated based on roadway classification. The priorities shown in Table 6 are based on the project evaluation criteria as well as input from the project team and the general public. The cost estimates are based on average unit costs for roadway improvements. Figure 9 illustrates the location of the bicycle plan projects.

**Table 6: Bicycle Plan Projects**

Project Number	Location	Responsible Jurisdiction	Type	Description	Priority	Cost Estimate <sup>3</sup>
Major Arterials						
B1	OR 219 from Butteville Road to Willow Avenue	State	Bike lanes	Widen roadway and install bike lanes in coordination with ODOT	Medium	Cost included in R2 <sup>2</sup>
B2	OR 214 from Progress Way to OR 99E	State	Bike lanes	Widen roadway and install bike lanes in coordination with ODOT	Medium	Cost included in R3 <sup>2</sup>
B3	OR 99E from Lincoln Street to southern City Boundary	State	Bike lanes	Widen roadway and install bike lanes in coordination with ODOT	Medium	Cost included in R4 <sup>2</sup>
B4	OR 99E from southern City Boundary to southern UGB	State	Bike lanes	Widen roadway and install buffered bike lanes in coordination with ODOT	Medium	Cost included in R4 <sup>2</sup>
Minor Arterials						
B5	OR 219 from western UGB to Butteville Road	State	Bike lanes	Widen roadway and install bike lanes in coordination with ODOT	Medium	\$1,000,000
B6	Butteville Road/OR 219 from northern UGB to OR 219	State/County	Bike lanes	Widen roadway and install bike lanes in coordination with ODOT	Medium	\$3,200,000
B7	Butteville Road from OR 219 to southern UGB	County	Bike lanes	Widen roadway and install bike lanes	Medium	Cost included in R6 <sup>2</sup>
B8	Evergreen Road from OR 214 to Hayes Street	City	Bike lanes	Widen roadway and install bike lanes	Medium	\$500,000
B9	Boones Ferry Road from northern UGB to Hazelnut Drive	County/City	Bike lanes	Widen roadway and install bike lanes	Medium	\$500,000
B10	Settlemier Avenue from Harrison Street to railroad tracks	City	Shared street	Install shared lane markings and signs. This project improves safe routes to school for Nellie Muir Elementary School, Heritage Elementary School, Valor Middle School, and St. Luke's School	Medium	\$25,000

Project Number	Location	Responsible Jurisdiction	Type	Description	Priority	Cost Estimate <sup>3</sup>
B11	Boones Ferry Road from Dahlia Street to southern UGB	County/City	Bike lanes	Widen roadway and install bike lanes	Medium	\$1,500,000
B12	Front Street from northern UGB to Boones Ferry Road	City	Bike lanes	Widen roadway and install bike lanes. This project improves safe routes to school for Woodburn High School, Heritage Elementary School, Valor Middle School, and St. Luke's School	High	\$8,050,000
B13	Garfield Street from 3rd Street to Front Street	City	Shared street	Install shared lane markings and signs	Low	\$10,000
B14	Garfield Street from Smith Drive to 3rd Street	City	Shared street	Install shared lane markings and signs	Low	\$10,000
B15 <sup>1</sup>	Young Street	City	Study	Perform a corridor evaluation that would consider design treatments to improve bicycle comfort and safety such as striping, signing, and wayfinding	Medium	\$15,000
B16	OR 211 from OR 99E to eastern UGB	State	Bike lanes	Widen roadway and install bike lanes in coordination with ODOT	Medium	\$1,000,000
<b>Service Collectors</b>						
B17	Arney Road from Robin Avenue to OR 219	State	Shared street	Install shared lane markings and signs in coordination with ODOT	Low	\$5,000
B18	Harvard Drive from Stacy Allison Way to Evergreen Road	City	Bike lanes	Enhance the parallel route of Harvard Drive from Stacy Allison Way to Evergreen Road in place of Stacy Allison Way. Install buffered bike lane striping on both sides of the roadway	Medium	\$15,000
B19	Hayes Street from Harvard Drive to Cascade Drive	City	Bike lanes	Install bike lane striping. This project improves safe routes to school for Nellie Muir Elementary School	Medium	\$35,000
B20	Hayes Street from Cascade Drive to Settlemier Avenue	City	Bike lanes	Widen roadway and install bike lanes. This project improves safe routes to school for Nellie Muir Elementary School	Medium	\$3,000,000
B21	Parr Road from western UGB to western City Boundary	County	Bike lanes	Widen roadway and install bike lanes. This project improves safe routes to school for Heritage Elementary School and Valor Middle School	High	Cost included in R5 <sup>2</sup>
B22	Lincoln Street from Cascade Drive to Front Street	City	Shared street	Install shared lane markings and signs. This project improves safe routes to school for Washington Elementary School	Medium	\$20,000



Project Number	Location	Responsible Jurisdiction	Type	Description	Priority	Cost Estimate <sup>3</sup>
B23	Lincoln Street from Front Street to OR 99E	city	Bike lanes	Install bike lane striping. This project improves safe routes to school for Washington Elementary School	High	\$55,000
B24	Cleveland Street from Front Street to OR 99E	City	Shared street	Install shared lane markings and signs	Low	\$15,000
B25	Hardcastle Avenue from Front Street to OR 99E	City	Shared street	Install shared lane markings and signs. This project improves safe routes to school for Washington Elementary School	High	\$15,000
B26	Brown Street from Cleveland Street to end of roadway	City	Shared street	Install shared lane markings and signs	Low	\$20,000
B27	Cooley Road from OR 211 to Aubrey Way	County	Bike lanes	Widen roadway and install bike lanes	Medium	\$1,300,000
B28	Cooley Road from Aubrey Way to Hardcastle Avenue	County	Bike lanes	Install bike lane striping	Medium	\$15,000
<b>Access Streets</b>						
B29	Stubb Road from Harvard Drive to Parr Road	County	Shared street	Install shared lane markings and signs	Low	Cost included in R26 <sup>2</sup>
B30	Astor Way from Country Club Road to OR 214	City	Bike lanes	Install bike lane striping	Low	\$25,000
B31	Tukwila Drive from Boones Ferry Road to Hazelnut Drive	City	Shared street	Install shared lane markings and signs	Low	\$5,000
B32	5th Street from OR 214 to Garfield Street	City	Shared street	Install shared lane markings and signs. This project improves safe routes to school for St Luke's School	Medium	\$20,000
B33	Gatch Street from Hardcastle Road to Cleveland Street	City	Shared street	Install shared lane markings and signs. This project improves safe routes to school for Washington Elementary School	Medium	\$15,000
B34	Park Avenue from OR 214 to Lincoln Street	City	Shared street	Install shared lane markings and signs. This project improves safe routes to school for Washington Elementary School	Medium	\$20,000
B35	Evergreen Road from Country Club Court to OR 214	City	Shared street	Install shared lane markings and signs	Low	\$10,000

Project Number	Location	Responsible Jurisdiction	Type	Description	Priority	Cost Estimate <sup>3</sup>
Local Streets						
B36	Country Club Road from Evergreen Road to Astor Way	City	Bike lanes	Install bike lane striping	Medium	\$40,000
B37	Cascade Drive from OR 214 to Hayes Street	City	Shared street	Install shared lane markings and signs. This project improves safe routes to school for Nellie Muir Elementary School	Medium	\$10,000
B38	Smith Drive from Hayes Street to Garfield Street	City	Shared street	Install shared lane markings and signs. This project improves safe routes to school for Nellie Muir Elementary School	Medium	\$5,000
B39	Meridian Drive from Hazelnut Drive to OR 214	City	Shared street	Install shared lane markings and signs	Low	\$10,000
B40	1st Street from Harrison Street to Cleveland Street	City	Shared street	Install shared lane markings and signs	Medium	\$15,000
B40 <sup>1</sup>	City-wide	City	Wayfinding	Provide wayfinding to bike routes, multi-use paths, parks, schools, and other essential destinations	Medium	\$30,000
<b>TOTAL High Priority Costs</b>						<b>\$8,125,000</b>
<b>TOTAL Medium Priority Costs</b>						<b>\$12,280,000</b>
<b>TOTAL Low Priority Costs</b>						<b>\$110,000</b>
<b>TOTAL Program Costs (20 years)</b>						<b>\$20,515,000</b>

1. Project not shown on Bicycle Plan Map.

2. Cost estimates are not included for projects that would be completed as part of a roadway project, such as locations where additional roadway width is needed to install bike lanes. The cost for these projects is included in the corresponding roadway projects described later in the memo.

3. The cost estimates presented do not include costs associated with right-of-way acquisition due to its high variability depending on location, parcel sizes, and other characteristics.



**Bicycle Plan Elements  
Woodburn, Oregon**

**Figure  
9**

Note: Future roadway alignments are approximate and subject to further refinement.

*This page intentionally left blank*





---

# 7 OTHER TRAVEL MODES

---

Transportation System Management and Operation Plan

Rail Plan

Air Transportation

Marine Transportation

Pipeline

*This page intentionally left blank*

## OTHER TRAVEL MODES

This section summarizes the plans for other travel modes in Woodburn.

## TRANSPORTATION SYSTEM MANAGEMENT AND OPERATIONS (TSMO) PLAN

Transportation System Management and Operations (TSMO) is a set of integrated transportation solutions intended to improve the performance of existing transportation infrastructure. Transportation Demand Management (TDM) and Transportation System Management (TSM) strategies are two complementary approaches to managing transportation and maximizing the efficiency of the existing system. TDM addresses the *demand* on the system: the number of vehicles traveling on the roadways each day. TDM measures include any method intended to shift travel demand from single occupant vehicles to non-auto modes or carpooling, travel at less congested times of the day, etc. TSM addresses the *supply* of the system: using strategies to improve the system efficiency without increasing roadway widths or building new roads. TSM measures are focused on improving operations by enhancing capacity during peak times, typically with advanced technologies to improve traffic operations.

### Transportation System Management (TSM)

Transportation System Management (TSM) focuses on low cost strategies that can be implemented within the existing transportation infrastructure to enhance operational performance. Finding ways to better manage transportation while maximizing urban mobility and treating all modes of travel as a coordinated system is a priority. TSM strategies include traffic signal timing and phasing, traffic signal coordination, traffic calming, access management, local street connectivity and intelligent transportation systems (ITS). Traffic signal coordination and ITS typically provide the most significant tangible benefits to the traveling public. The primary focus of TSM measures are region-wide improvements, however there are a number of TSM measures that could be used in a smaller-scale environment such as within the City of Woodburn. TSM projects and programs that are recommended for the City of Woodburn to explore include the following:

- Update signal timing plans and coordinate signals to better match prevailing traffic conditions
  - OR 99E from Hardcastle Avenue to Young Street (or to the potential future Cleveland Street traffic signal) is one candidate corridor for coordination
- Implement truck signal priority at key signalized intersections along OR 214 and OR 99E. Truck signal priority can reduce delay, travel time, and the number of stops for freight vehicles, helping reduce vehicle emissions and improve travel time reliability.
- Work with ODOT to develop and implement a Traffic Management Plan for the OR 99E corridor that responds to increased congestion resulting from incidents on I-5 and regional events

### Transportation Demand Management (TDM)

Transportation Demand Management (TDM) is a policy tool as well as a general term used to describe any action that removes single occupant vehicle trips from the roadway during peak travel demand periods. As growth in the City of Woodburn occurs, the number of vehicle trips and travel demand in the area will also increase. The ability to change a user's travel behavior and provide alternative mode choices will help accommodate this potential growth in trips.

*Technical Memorandum 5: Alternative Analysis and Funding* identifies several policies and programs that may be effective for managing transportation demand in the City of Woodburn, especially within the next 10 to 20 years. Table 7 summarizes the strategies that best meet the goals and objectives of the TSP update. As with all new public and private investments, the implementation of TDM strategies is sure to draw opposition from some. Given Woodburn's lack of experience with TDM strategies, it is important that decision-makers understand their long-term costs and benefits and are able evaluate these along-side arguments from opponents in achieving outcomes that best reflect the City's vision and goals while effectively reducing travel demand.

**Table 7: Transportation Demand Management Program Strategies**

Program/Project Number	Name	Responsible Jurisdiction	Description	Priority	Cost Estimate
TDM1	Carpool/Vanpool Match Services	County/City	Coordinate a rideshare/carpool/vanpool program that regional commuters can use to find other commuters with similar routes to work	High	\$5,000/year
TDM2	Carpool/Vanpool Parking Program	City	Coordinate with employers to designate carpool/vanpool preferential parking	Low	\$5,000/year
TDM3	Collaborative Marketing	County/City	Work with nearby cities, employers, transit service providers, and developers to collaborate on marketing for transportation options that provide an alternative to single-occupancy vehicles	Medium	\$5,000/year
TDM4	Limited and/or Flexible Parking Requirements	City	Update the Woodburn Development Ordinance to include strategies that encourage multi-modal transportation	High	\$25,000
TDM5	Parking Management	City	Modify the City's current parking policy to allow for the potential to charge for parking	Low	\$10,000
TDM6	Transit Fare Subsidies	City/ Woodburn Transit	Work with Woodburn Transit to provide transit fare subsidies	Low	\$5,000
TDM7	Employer TDM Measures	City	Work with employers to encourage TDM measures such as allowing employees to work at home one day a week and scheduling shift changes to occur outside of peak travel periods	Low	\$5,000/year
<b>TOTAL High Priority Costs</b>					<b>\$125,000</b>
<b>TOTAL Medium Priority Costs</b>					<b>\$100,000</b>
<b>TOTAL Low Priority Costs</b>					<b>\$215,000</b>
<b>TOTAL Program Costs (20 years)</b>					<b>\$440,000</b>

Other potential TDM projects include:

- Encourage the development of high-speed communication in all part of the city (fiber optic, digital cable, DSL, etc). The objective would be to allow employers and residents the maximum opportunity to rely upon other systems for conducting business and activities than the transportation system during peak periods.
- Encourage developments that effectively mix land uses to reduce vehicle trip generation. These plans may include development linkages (particularly non-auto) that support greater use of alternative modes.

### Land Use

The types and intensities of land uses are closely correlated with travel demand. Land use patterns in many areas of the city are suburban in nature with low densities throughout the city and more industrial and commercial uses in the eastern part of the city near OR 99E. In the future the city will continue to have a mixture of housing and industrial densities, as well as areas of mixed-use development (i.e., a mix of residential, retail, commercial and/or office uses). *Technical Memorandum 5: Alternative Analysis and Funding* identifies several land use strategies that could be implemented in Woodburn. Table 8 summarizes the strategies that best meet the goals and objectives of the TSP update.

**Table 8: Land Use Projects**

Program/Project Number	Name	Responsible Jurisdiction	Description	Priority	Cost Estimate
LU1	Commercial and Mixed-use Nodes	City	Establish neighborhood commercial and mixed-use nodes within the city	Low	\$25,000
LU2	Alternative Mobility Targets	State/City	Work with ODOT to develop alternative mobility targets at critical intersections along state highways.	Low	\$25,000
LU3	Right-of-way Dedications	City	Through development, right-of-way dedications should be provided to facilitate the future planned transportation system in the vicinity of the proposed development	Low	\$0 <sup>1</sup>
LU4	Half-street Improvements	City	Through development, half-street improvements (sidewalks, curb and gutter, bicycle lanes/paths, and/or travel lanes) should be provided along all site frontages that do not have full buildout improvements in place at the time of development	High	\$0 <sup>1</sup>
<b>TOTAL High Priority Costs</b>					<b>\$0</b>
<b>TOTAL Medium Priority Costs</b>					<b>\$0</b>
<b>TOTAL Low Priority Costs</b>					<b>\$50,000</b>
<b>TOTAL Program Costs (20 years)</b>					<b>\$50,000</b>

1. Project to be funded by others.

### Access Management Plan

Numerous driveways or street intersections increase the number of conflicts and potential for collisions and decrease mobility and traffic flow. The City of Woodburn, as with every city, needs a balance of streets that provide access with streets that serve mobility. Access management is a set of measures regulating access to streets, roads, and highways, from public roads and private driveways. It is a policy tool which seeks to balance mobility, the need to provide efficient, safe and timely travel with the ability to allow access to individual properties. Proper implementation of access management techniques should guarantee reduced congestion, reduced collision rates, less need for roadway widening, conservation of energy, and reduced air pollution. Measures may include but are not limited to restrictions on the type and amount of access to roadways, and use of physical controls, such as signals and channelization including raised medians, to reduce impacts of approach road traffic on the main facility.

City of Woodburn access spacing standards can be found in the Woodburn Development Ordinance Section 3.04.02 and OAR Division 51, which specifies access management spacing standards for ODOT facilities. In coordination with the access spacing standards presented in these documents, Table 9 summarizes the access management projects identified to help Woodburn balance access and mobility throughout the city.

**Table 9: Access Management Projects**

Program/Project Number	Name	Responsible Jurisdiction	Description	Priority	Cost Estimate
AM1	Access Spacing Standard Modification	City	Develop access management standards that reflect functional classification of the roadway and that coordinate with the ODOT standards that regulate several major roadways in Woodburn	Low	\$25,000
AM2	Alternative Access	City	Investigate and implement opportunities to provide alternative access to nonstate facilities when reasonable access can occur (consistent with the State's Division 51 access management standards)	Low	\$25,000
AM3	Access Variance Process	City	Define a variance process for when the standard cannot be met	Low	\$25,000
AM4	Access Consolidation	City	Establish an approach for access consolidation over time to move in the direction of the standards at each opportunity. Cross-over easements should be provided on all compatible parcels (topography, access, and land use) to facilitate future access between adjacent parcels and inter-parcel circulation.	Low	\$25,000
AM5	Access Movement Restrictions	City	Consider opportunities to restrict certain turning movements at accesses (such as a right in-right out access)	Low	\$25,000
<b>TOTAL High Priority Costs</b>					<b>\$0</b>
<b>TOTAL Medium Priority Costs</b>					<b>\$0</b>
<b>TOTAL Low Priority Costs</b>					<b>\$125,000</b>
<b>TOTAL Program Costs (20 years)</b>					<b>\$125,000</b>

## RAIL PLAN

The existing rail system in Woodburn includes freight rail, while there are currently no passenger rail terminals. Union Pacific Railroad operates a Class I rail line through Woodburn. These tracks parallel the east side of Front Street. A total of five at-grade crossings and one grade separated crossing exist along the rail line. Willamette Valley Railway operates a Shortline Railroad track that parallels the north side of Cleveland Street in the south side of town. A total of five public at-grade crossings exist along this rail line. In addition to these crossings, the rail line serves multiple local businesses along the corridor. Table 10 summarizes the rail system projects that best meet the identified goals and objectives of this plan.

**Table 10: Rail Projects**

Program/Project Number	Name	Responsible Jurisdiction	Description	Priority	Cost Estimate
RA1	Front Street	City	Establish a downtown Amtrak passenger rail stop along Front Street in downtown Woodburn, potentially as a public-private partnership at the "Y" property adjacent to Locomotive Park	Low	\$10,000
RA2	Front Street and Cleveland Street	City	Investigate the opportunity to remove private grade railroad crossings by providing alternative access to parcels as development and redevelopment occurs	Medium	\$10,000
RA3	Butteville Road, north of OR 219	State/County/ City	Explore a passenger rail stop if commuter rail is extended between Wilsonville and Beaverton down to Salem	Low	\$5,000
<b>TOTAL High Priority Costs</b>					<b>\$0</b>
<b>TOTAL Medium Priority Costs</b>					<b>\$10,000</b>
<b>TOTAL Low Priority Costs</b>					<b>\$15,000</b>
<b>TOTAL Program Costs (20 years)</b>					<b>\$25,000</b>

## AIR TRANSPORTATION

There are no airports located within the city limits. The closest airports include the Aurora State Airport (classified as an Urban General Aviation Airport) located approximately 8 miles to the north via OR 99E and OR 551 and the Mulino Airport located approximately 14 miles to the northeast via OR 211 and OR 213. No air projects or programs were identified as part of the TSP process.

## MARINE TRANSPORTATION

Marine transportation is not available within the City of Woodburn, and no marine projects or programs were identified as part of the TSP process.

## PIPELINE

There are no major pipeline transport facilities within the Woodburn UGB, and no pipeline projects or programs were identified as part of the TSP process.

*This page intentionally left blank*





---

# 8 FUNDING

---

Funding Programs and Revenue  
Planned Transportation System Cost Summary

*This page intentionally left blank*

# FUNDING

## FUNDING PROGRAMS AND REVENUE

The City of Woodburn has historically relied upon multiple revenue sources to fund the maintenance of its transportation network and make capital improvements. These local gas tax revenue, inter-governmental (primarily state gas tax revenue), franchise fees, and other miscellaneous revenue. Table 11 displays the total revenue by source used to fund transportation projects within Woodburn over the most recent seven years that comprehensive data was available.

**Table 11: City of Woodburn Revenue History**

Revenue Source	FY 2016-2017	FY 2015-2016	FY 2014-2015	FY 2013-2014	FY 2012-2013	FY 2011-2012	FY 2010-2011	Average
Taxes	\$129,412	\$115,692	\$102,517	\$101,761	\$106,537	\$182,109	\$121,196	\$122,746
Inter-Government	\$1,480,082	\$1,454,076	\$1,409,311	\$1,384,277	\$1,597,518	\$1,312,024	\$1,116,011	\$1,393,328
Franchise	\$359,820	\$357,983	\$336,707	\$360,046	\$353,381	\$326,713	\$347,621	\$348,896
Transportation SDC Fees	\$33,396	\$183,698	\$440,595	\$521,933	\$411,527	\$400,172	\$153,268	\$306,370
Other	\$69,856	\$59,518	\$49,532	\$319,086	\$49,457	\$88,767	\$27,147	\$94,766
<b>Revenue Total</b>	<b>\$2,072,566</b>	<b>\$2,170,967</b>	<b>\$2,338,662</b>	<b>\$2,687,103</b>	<b>\$2,518,420</b>	<b>\$2,309,785</b>	<b>\$1,765,243</b>	<b>\$2,266,107</b>

Taxes = Local Gas Tax revenue  
 Inter-Government = State Gas Tax, State Fund Exchange  
 Other = Misc. revenue, interest income

Based on the information shown in Table 11, the City of Woodburn has generated an average of approximately \$2,266,107 per year in total revenue for transportation-related maintenance/projects.

### Potential Funding Sources

The projected transportation funding analysis shows that the City of Woodburn will have a limited source of funds that can solely dedicated to transportation-related capital improvement projects over the next twenty years. As such, Woodburn will likely need to seek additional funds via transportation improvement grants, partnerships with regional and state agencies, and other funding sources to help implement future transportation-related improvements. Table 12 identifies a list of potential Grant sources and Partnering Opportunities to consider during the course of the 20-year planning horizon. Following Table 12, Table 13 identifies a list of potential new funding sources for Woodburn to consider in an effort to bolster funds for additional capital improvement projects.

**Table 12: Potential Grant Sources and Partnering Opportunities**

Funding Source	Description	Potential Facility Benefit	Opportunities
Statewide Transportation Improvement Program (STIP)	The Statewide Transportation Improvement Program (STIP) is Oregon's 4-year capital improvement program for major state and regional transportation facilities. This scheduling and funding document is updated every two years. Projects included on the STIP are allocated into the five different ODOT regions.	<ul style="list-style-type: none"> <li>- Streets</li> <li>- Sidewalks</li> <li>- Bike lanes</li> <li>- Trails</li> </ul>	The next STIP (2018-2021) will be organized into two different categories that focus on projects that will fix/preserve the existing transportation network and enhance/improve the transportation network.
Federal Funding	Large trails or trail networks with a transportation purpose can compete for TIGER grant awards. Additional significant federal funding sources include TAP, STP and CMAQ. Depending upon the location and purpose, trails can also be funded by HUD CDBG funds, USDA rural development programs, or EPA funding.	- Multi-Use Trails	Projects in urban areas have traditionally been funded at a minimum of \$10,000,000 and rural trails of lower project costs are considered for TIGER funding.
Oregon Bicycle and Pedestrian Program	The Oregon Pedestrian and Bicycle Grant program ended as a standalone solicitation process in 2012. Grant monies are now distributed through the "Enhance" process in the STIP program noted above.	See STIP above	See STIP above.
ATV Grant Program	Operation and maintenance, law enforcement, emergency medical services, land acquisition, leases, planning, development and safety education in Oregon's OHV (off-highway vehicle recreation areas).	- Multi-Use Trails	<a href="http://www.oregon.gov/oprd/ATV/pages/grants.aspx">http://www.oregon.gov/oprd/ATV/pages/grants.aspx</a>

**Table 13: Potential New Funding Sources for Consideration by the City of Woodburn**

Funding Source	Description	Potential Facility Benefit	Opportunities
User Fees	Fees tacked onto a monthly utility bill or tied to the annual registration of a vehicle to pay for improvements, expansion, and maintenance to the street system. This may be a more equitable assessment given the varying fuel efficiency of vehicles. Regardless of fuel efficiency, passenger vehicles do equal damage to the street system.	Primarily Street Improvements	The cost of implementing such a system could be prohibitive given the need to track the number of vehicle miles traveled in every vehicle. Additionally, a user fee specific to a single jurisdiction does not account for the street use from vehicles registered in other jurisdictions.
Street Utility Fees/Road Maintenance Fee	The fee is based on the number of trips a particular land use generates and is usually collected through a regular utility bill. For the communities in Oregon that have adopted this approach, it provides a stable source of revenue to pay for street maintenance allowing for safe and efficient movement of people, goods, and services.	Preservation, restoration, and reconstruction of existing paved residential streets. Includes sidewalks, ramps, curbs and gutters, and utility relocation.	Other cities have adopted street maintenance utility fees at varying amounts charged to residential meters. Woodburn could consider a similar program.
Optional Tax	A tax that is paid at the option of the taxpayer to fund improvements. Usually not a legislative requirement to pay the tax and paid at the time other taxes are collected, optional taxes are	<ul style="list-style-type: none"> <li>- Streets</li> <li>- Sidewalks</li> <li>- Bike lanes</li> </ul>	The voluntary nature of the tax limits the reliability and stableness of the funding source.

	usually less controversial and easily collected since they require the taxpayer to decide whether or not to pay the additional tax.	- Multi-Use Trails - Transit	
Sponsorship	Financial backing of a project by a private corporation or public interest group, as a means of enhancing its corporate image.	- Multi-Use Trails	Sponsorship has primarily been used by transit providers to help offset the cost of providing transit services and maintaining transit related improvements.
Federal Funding	Trails with a transportation purpose can compete for TIGER grant awards. Depending upon the location and purpose, trails can also be funded by HUD, CDBG funds, USDA rural development programs, or EPA funding.	- Trails	Projects in urban areas have traditionally been funded at a minimum of \$10,000,000 and rural trails of lower project costs are considered for TIGER funding.

## PLANNED TRANSPORTATION SYSTEM COST SUMMARY

Table 14 provides a summary of the full cost of the planned and financially constrained transportation systems. As shown, the full cost of the planned system is approximately \$130.6 million over the 20-year period, including \$26.4 million in high priority projects, \$102.7 million in medium priority projects, and \$1.5 million in low priority projects. Based on the anticipated funds available for capital improvement projects, **the financially constrained plan includes all of the high priority projects.** This leaves no forecasted funding for the City to complete medium and low priority projects over the 20-year period.

**Table 14: Planned Transportation System Cost Summary**

Project Type	High Priority (Financially Constrained Plan Projects)	Medium Priority	Low Priority	Total
<b>Planned Transportation System</b>				
Bicycle	\$8,125,000	\$12,280,000	\$110,000	\$20,515,000
Pedestrian	\$6,750,000	\$10,300,000	\$355,000	\$17,405,000
Roadway	\$9,200,000	\$74,670,000	\$500,000	\$84,370,000
Safety	\$2,200,000	\$5,260,000	\$100,000	\$7,560,000
Transit	--	\$100,000	\$15,000	\$115,000
TDM <sup>1</sup>	\$125,000	\$100,000	\$215,000	\$440,000
Land Use	--	--	\$50,000	\$50,000
Access Management	--	--	\$125,000	\$125,000
Rail	--	\$10,000	\$15,000	\$25,000
<b>Total</b>	<b>\$26,400,000</b>	<b>\$102,720,000</b>	<b>\$1,485,000</b>	<b>\$130,605,000</b>
<b>Available Funding</b>				
Total	\$6,550,000	\$6,550,000	\$13,100,000	\$26,200,000

TDM: Transportation Demand Management  
1: Includes annual costs occurred every year.

## IMPLEMENTATION

The Transportation Planning Rule (TPR), as codified in Oregon Administrative Rules (OAR) 660-012-0045, requires that local jurisdictions identify and adopt land use regulations and code amendments needed to implement the TSP. The land use regulations and code amendments are provided under separate cover.



---

## 9 GLOSSARY OF TERMS

---

*This page intentionally left blank*



## GLOSSARY OF TERMS

The following terms are applicable only to the Woodburn Transportation System Plan and shall be construed as defined herein.

**Access Management:** Refers to measures regulating access to streets, roads and highways from public roads and private driveways. Measures may include but are not limited to restrictions on the type and amount of access to roadways and use of physical controls such as signals and channelization including raised medians, to reduce impacts of approach road traffic on the main facility.

**Access (Street):** A street designated in the functional classification system that's primary purpose is to connect residential neighborhoods with service collectors or arterials. On-street parking and access to adjacent properties is prevalent. Slower speeds should be provided to ensure community livability and safety for pedestrians and cyclists.

**Accessway:** Refers to a walkway that provides pedestrian and or bicycle passage either between streets or from a street to a building or other destination such as a school, park, or transit stop.

**Alternative Modes:** Transportation alternatives other than single-occupant automobiles such as rail, transit, bicycles and walking.

**Americans with Disabilities Act (ADA):** A civil rights law that prohibits discrimination against individuals with disabilities in all areas of public life, including jobs, schools, transportation, and all public and private places that are open to the general public.

**Average Annual Daily Traffic (AADT):** A measure used primarily in transportation planning and traffic engineering that represents the total volume of vehicular traffic on a highway or roadway for a year divided by 365 days.

**Average Daily Traffic (ADT):** This is the measurement of the average number of vehicles passing a certain point each day on a highway, road or street.

**Bicycle Facility:** Any facility provided for the benefit of bicycle travel, including bikeways and parking facilities.

**Bicycle Network:** A system of connected bikeways that provide access to and from local and regional destinations.

**Bicycle Boulevard:** Lower-order, lower-volume streets with various treatments to promote safe and convenient bicycle travel. Usually accommodates bicyclists and motorists in the same travel lanes, often with no specific vehicle or bike lane delineation. Assigns higher priority to through bicyclists, with secondary priority assigned to motorists. Also includes treatments to slow vehicle traffic to enhance the bicycling environment.

**Bike Lane:** Area within street right-of-way designated specifically for bicycle use.

**Capital Improvement Plan (CIP):** A community planning and fiscal management tool used to coordinate the location, timing and financing of capital improvements over a multi-year period.

**Capacity:** The maximum number of vehicles or individuals that can traverse a given segment of a transportation facility with prevailing roadway and traffic conditions.

**Citizen Advisory Committee (CAC):** An advisory committee consisting of volunteer citizens from the community they represent.

**Congestion Mitigation/Air Quality (CMAQ):** A program within the federal ISTEA and TEA-21 regulations that address congestion and transportation-related air pollution.

**Crosswalk:** Portion of a roadway designated for pedestrian crossing and can be either marked or unmarked. Unmarked crosswalks are the national extension of the shoulder, curb line or sidewalk.

**Cycle Track:** An exclusive bike facility that combines the user experience of a separated path with the on-street infrastructure of a conventional bike lane. A cycle track is physically separated from motor traffic and distinct from the sidewalk.

**Demand Management:** Refers to actions which are designed to change travel behavior in order to improve performance of transportation facilities and to reduce need for additional road capacity. Methods may include subsidizing transit for the journey to work trip, charging for parking, starting a van or carpool system, or instituting flexible work hours.

**Department of Environmental Quality (DEQ):** A regulatory agency whose job is to protect the quality of Oregon's environment.

**Department of Land Conservation and Development (DLCD):** A public agency that helps communities and citizens plan for, protect and improve the built and natural systems that provide a high quality of life.

**Driveway (DWY):** A short road leading from a public road to a private business or residence.

**Eastbound (EB):** Leading or traveling toward the east.

**Fiscal Year (FY):** A year as reckoned for taxing or accounting purposes.

**Geographic Information Systems (GIS):** A system designed to capture, store, manipulate, analyze, manage, and present all types of spatial or geographical data.

**Grade:** A measure of the steepness of a roadway, bikeway or walkway, usually expressed in a percentage form of the ratio between vertical rise to horizontal distance, (e.g. a 5% grade means that the facility rises 5 feet in height over 100 feet in length.)

**Grade Separation:** The vertical separation of conflicting travelways.

**High Capacity Transit (HCT):** A form of public transit distinguished from local service transit such as bus lines by higher speeds, fewer stops, more passengers, and more frequent service.

**Highway Design Manual (HDM):** A manual that provides uniform standards and procedures for the design of new roadways and the major reconstruction, rehabilitation, restoration, and resurfacing of existing roadways.

**Intelligent Transportation Systems (ITS):** the application of advanced technologies and proven management techniques to relieve congestion, enhance safety, provide services to travelers and assist transportation system operators in implementing suitable traffic management strategies.

**Level of Service (LOS):** A qualitative measure describing the perception of operation conditions within a traffic stream by motorists and or passengers. An LOS rating of "A" to "F" describes the traffic flow on streets and at intersections, ranging from LOS A, representing virtually free flow conditions and no impedance to LOS F representing forced flow conditions and congestion.

**Local (Street):** A street designated in the functional classification system that's primary purpose is to provide direct access to adjacent land uses. Short roadway distances, slow speeds, and low traffic volumes characterize local streets.

**Major Arterial (Street):** A street designated in the functional classification system that's primary functions are to serve local and through traffic as it enters and leaves the urban area, connect Woodburn with other urban centers and regions, and provide connections to major activity centers within the UGB.

**Manual on Uniform Traffic Control Devices (MUTCD):** A document issued by the Federal Highway Administration (FHWA) of the United States Department of Transportation (USDOT) to specify the standards by which traffic signs, road surface markings, and signals are designed, installed, and used.

**Minor Arterial (Street):** A street designated in the functional classification system that's primary functions are to connection major activity centers and neighborhoods within the UGB and to support the major arterial system.

**Multi-Modal:** Involving several modes of transportation including bus, rail, bicycle, motor vehicle etc.

**Multi-Use Path:** Off-street route (typically recreationally focused) that can be used by several transportation modes, including bicycles, pedestrians and other non-motorized modes (i.e. skateboards, roller blades, etc.)

**National Highway System (NHS):** The National Highway System is interconnected urban and rural principal arterial and highways that serve major population centers, ports, airports and other major travel destinations, meet national defense requirements and serve interstate and interregional travel.

**Northbound (NB):** Traveling or leading toward the north.

**Oregon Administrative Rules (OAR):** The official compilation of rules and regulations having the force of law in the U.S. state of Oregon. It is the regulatory and administrative corollary to Oregon Revised Statutes and is published pursuant to ORS 183.360 (3).

**Oregon Department of Transportation (ODOT):** ODOT is a public agency that helps provide a safe, efficient transportation system that supports economic opportunity and livable communities throughout Oregon. ODOT owns and operates two roadways (OR 213 and OR 211) that are located in Molalla or provide access to the city. There are street design and operational standards for these roadways which supersede Molalla's street design and operational standards.

**Oregon Highway Plan (OHP):** The document that establishes long range policies and investment strategies for the state highway system in Oregon.

**Oregon Revised Statutes (ORS):** The codified body of statutory law governing the U.S. state of Oregon, as enacted by the Oregon Legislative Assembly, and occasionally by citizen initiative. The statutes are subordinate to the Oregon Constitution.

**Peak Period or Peak Hour:** The period of the day with the highest number of travelers. This is normally between 4:00 p.m. to 6:00 p.m. on weekdays.

**Pedestrian Connection:** A continuous, unobstructed, reasonably direct route between two points that is intended and suitable for pedestrian use. These connections could include sidewalks, walkways, accessways, stairways and pedestrian bridges.

**Pedestrian Facility:** A facility provided for the benefit of pedestrian travel, including walkways, crosswalks, signs, signals and benches.

**Pedestrian Scale:** Site and building design elements that are oriented to the pedestrian and are dimensionally less than those sites designed to accommodate automobile traffic.

**Regional Transportation Functional Plan (RTFP):** A planning document that contains policies and guidelines to help local jurisdictions implement the policies in the Regional Transportation Plan (RTP) and its modal plans, include those for active transportation, freight movement, and high capacity transit.

**Regional Transportation Plan (RTP):** The transportation plan for the Portland Metro region.

**Right-Of-Way (ROW or R/W):** A general term denoting publicly owned land or property upon which public facilities and infrastructure is placed.

**Safety Priority Index System (SPIS):** An indexing system used by Oregon Department of Transportation to prioritize safety improvements based on crash frequency and severity on state facilities.

**Service Collector (Street):** A street designated in the functional classification system that's primary function is to provide connections between neighborhoods and major activity centers and the arterial street system. Some degree of access is provided to adjacent properties, while maintaining circulation and mobility for all users.

**Shared Roadway:** Roadways where bicyclists and autos share the same travel lane. May include a wider outside lane and/or bicycle boulevard treatment (priority to through bikes on local streets).

**Single-Occupancy Vehicle or Single-Occupant Vehicle (SOV):** A vehicle containing only a single occupant, the driver.

**Southbound (SB):** Traveling or leading toward the south.

**Statewide Transportation Improvement Plan (STIP):** The capital improvement program that identifies funding and schedule of statewide projects.

**System Development Charge (SDC):** Fees that are collected when new development occurs in the city and are used to fund a portion of new streets, sanitary sewers, parks and water.

**Technical Advisory Committee (TAC):** An advisory committee consisting of state, county, and city staff that review and provide feedback on technical memorandums.

**Technical Memorandum (TM):** A document that is specifically targeted to technically capable persons, such as practicing engineers or engineering managers, who are interested in the technical details of the project or task.

**Traffic Control Devices:** Signs, signals or other fixtures placed on or adjacent to a travelway that regulates, warns or guides traffic. Can be either permanent or temporary.

**Transportation Analysis Zone (TAZ):** A geographic sub-area used to assess travel demands using a travel demand forecasting model. Often defined by the transportation network and US Census blocks.

**Transportation Demand Management (TDM):** A policy tool as well as any action that removes single-occupant vehicle trips from the roadway network during peak travel demand periods.

**Transportation and Growth Management (TGM):** A program of the Oregon Department of Transportation (ODOT) that supports community efforts to expand transportation choices. By linking land use and transportation planning, TGM works in partnership with local governments to create vibrant, livable places in which people can walk, bike, take transit or drive where they want to go.

**Transportation Management Area (TMA):** A Transportation Management Area is an area designated by the Secretary of Transportation, having an urbanized area population of over 200,000, or upon special request from the Governor and the MPO designated for the area.

**Transportation Planning Rule (TPR):** A series of Oregon Administrative Rules intended to coordinate land use and transportation planning efforts to ensure that the planned transportation system supports a pattern of travel and land use in urban areas that will avoid the air pollution, traffic and livability problems faced by other large urban areas of the country through measures designed to increase transportation choices and make more efficient use of the existing transportation system.

**Transportation System Management (TSM):** Management strategies such as signal improvements, traffic signal coordination, traffic calming, access management, local street connectivity, and intelligent transportation systems

**Transportation System Management and Operations (TSMO):** An integrated program to optimize the performance of existing multimodal infrastructure through implementation of systems, services, and projects to preserve capacity and improve the security, safety, and reliability of our transportation system.

**Transportation System Plan (TSP):** Is a comprehensive plan that is developed to provide a coordinated, seamless integration of continuity between modes at the local level as well as integration with the regional transportation system.

**Two-Way Stop Control (TWSC):** An intersection, where one or more approaches is stop controlled and must yield the right-of-way to one or more approaches that are not stop controlled.

**Urban Area:** The area immediately surrounding an incorporated city or rural community that is urban in character, regardless of size.

**Urban Growth Boundary (UGB):** A regional boundary, set in an attempt to control urban sprawl by mandating that the area inside the boundary be used for higher density urban development and the area outside be used for lower density development.

**Vehicle Miles Traveled (VMT):** The cumulative distance a vehicle travels, regardless of number of occupants.

**Volume to Capacity Ratio (V/C):** A measure that reflects mobility and quality of travel of a roadway or a section of a roadway. It compares roadway demand (vehicle volumes) with roadway supply (carrying capacity).

**Westbound (WB):** Leading or traveling toward the west.