
NW 1/4 OF THE SE 1/4 OF SECTION 08, TWP. 05 SOUTH, RGE 01 WEST, WILLAMETTE MERIDIAN CITY OF WOODBURN, MARION COUNTY, STATE OF OREGON

COVER SHEET

GENERAL SITE NOTES:

- . THE CONTRACTOR SHALL OBTAIN AND HAVE AVAILABLE COPIES OF THE APPLICABLE GOVERNING AGENCY STANDARDS AT THE JOB SITE DURING THE RELATED CONSTRUCTION
- 2. CONTRACTOR SHALL ENSURE THAT ALL NECESSARY PERMITS HAVE BEEN OBTAINED PRIOR TO COMMENCING WORK.
- 3. THE CONTRACTOR SHALL BE RESPONSIBLE FOR VERIFYING THE LOCATION, DIMENSION AND DEPTH OF ALL EXISTING UTILITIES PRIOR TO CONSTRUCTION WHETHER SHOWN ON THESE PLANS OR NOT. UTILITIES OTHER THAN THOSE SHOWN MAY EXIST ON THIS SITE. ONLY THOSE UTILITIES WITH EVIDENCE OF THEIR INSTALLATION VISIBLE AT GROUND SURFACE OR SHOWN ON RECORD DRAWING PROVIDED BY OTHERS ARE SHOWN HEREON. EXISTING UNDERGROUND UTILITY LOCATIONS SHOWN ARE APPROXIMATE ONLY AND ARE SUBJECT TO A DEGREE OF UNKNOWN VARIATION. SOME UNDERGROUND LOCATIONS SHOWN HEREON MAY HAVE BEEN TAKEN FROM PUBLIC RECORDS. BARGHAUSEN CONSULTING ENGINEERS, INC. ASSUMES NO LIABILITY FOR THE ACCURACY OF PUBLIC RECORDS OR RECORDS OF OTHERS. IF CONFLICTS SHOULD OCCUR, THE CONTRACTOR SHALL CONSULT BARGHAUSEN CONSULTING ENGINEERS, INC. TO RESOLVE ALL PROBLEMS PRIOR TO PROCEEDING WITH CONSTRUCTION.
- 4. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO REVIEW ALL OF THE DRAWINGS AND SPECIFICATIONS ASSOCIATED WITH THE PROJECT WORK SCOPE PRIOR TO THE INITIATION OF TO THE SPECIFICATIONS OR THE RELATIVE CODES. IT IS THE CONTRACTOR'S RESPONSIBILITY TO NOTIFY THE PROJECT ENGINEER OF RECORD IN WRITING PRIOR TO THE START OF CONSTRUCTION. FAILURE BY THE CONTRACTOR TO NOTIFY THE PROJECT ENGINEER SHALL CONSTITUTE ACCEPTANCE OF FULL RESPONSIBILITY BY THE CONTRACTOR TO COMPLETE THE SCOPE OF WORK AS DEFINED BY THE DRAWINGS AND IN FULL COMPLIANCE WITH LOCAL
- 5. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO NOTIFY THE APPROPRIATE UTILITIES INVOLVED PRIOR TO CONSTRUCTION
- INSPECTION OF SITE WORK WILL BE ACCOMPLISHED BY A REPRESENTATIVE OF THE GOVERNING JURISDICTION. INSPECTION OF PRIVATE FACILITIES WILL BE ACCOMPLISHED BY A REPRESENTATIVE OF THE OWNER. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO NOTIFY THE INSPECTOR 24 HOURS IN ADVANCE OF BACKFILLING ALL CONSTRUCTION.
- PRIOR TO ANY CONSTRUCTION OR DEVELOPMENT ACTIVITY THE CONTRACTOR SHALL CONTACT THE AGENCY AND/OR UTILITY INSPECTION PERSONNEL AND ARRANGE ANY REQUIRED PRE-CONSTRUCTION MEETING(S). CONTRACTOR SHALL PROVIDE ONE WEEK MINIMUM ADVANCE NOTIFICATION TO OWNER, FIELD ENGINEER AND ENGINEER OF PRE-CONSTRUCTION MEETINGS.
- 8. THE CONTRACTOR IS RESPONSIBLE FOR WORKER AND SITE SAFETY AND SHALL COMPLY WITH THE LATEST OSHA STANDARDS AND REGULATIONS, OR ANY OTHER AGENCY HAVING JURISDICTION FOR EXCAVATION AND TRENCHING PROCEDURES. THE CONTRACTOR IS RESPONSIBLE FOR DETERMINING THE "MEANS AND METHODS" REQUIRED TO MEET THE INTENT AND PERFORMANCE CRITERIA OF OSHA, AS WELL AS ANY OTHER ENTITY THAT HAS JURISDICTION FOR EXCAVATION AND/OR TRENCHING PROCEDURES.
- 9. THE CONTRACTOR SHALL BE RESPONSIBLE FOR PROVIDING ADEQUATE SAFEGUARDS. SAFETY DEVICES. PROTECTIVE EQUIPMENT. FLAGGERS. AND ANY OTHER NEEDED ACTIONS TO PROTECT THE LIFE, HEALTH, AND SAFETY OF THE PUBLIC, AND TO PROTECT PROPERTY IN CONNECTION WITH THE PERFORMANCE OF WORK COVERED BY THE CONTRACTOR. ANY WORK WITHIN THE TRAVELED RIGHT-OF-WAY THAT MAY INTERRUPT NORMAL TRAFFIC FLOW SHALL REQUIRE AT LEAST ONE FLAGGER FOR EACH LANE OF TRAFFIC AFFECTED.
- 10. PROTECTIVE MEASURES SHALL BE TAKEN BY THE CONTRACTOR TO PROTECT ALL ADJACENT PUBLIC AND PRIVATE PROPERTIES AT ALL TIMES DURING CONSTRUCTION. THE CONTRACTOR SHALL BE RESPONSIBLE FOR PROTECTION OF ALL EXISTING UTILITY SERVICES THAT ARE TO REMAIN OPERATIONAL WITHIN THE CONSTRUCTION AREA WHETHER SHOWN OR NOT SHOWN ON THE PLANS.
- 11. TWO (2) COPIES OF THESE APPROVED PLANS MUST BE ON THE JOB SITE WHENEVER CONSTRUCTION IS IN PROGRESS. ONE (1) SET WITH RECORDS OF AS-BUILT INFORMATION SHALL BE SUBMITTED TO BARGHAUSEN CONSULTING ENGINEERS, INC. AT COMPLETION OF
- 12. CONTRACTOR SHALL OBTAIN SERVICES OF A LICENSED LAND SURVEYOR TO STAKE HORIZONTAL CONTROL FOR ALL NEW IMPROVEMENTS. STAKING CONTROL SHALL BE TAKEN FROM ELECTRONIC PLAN FILES PROVIDED BY BARGHAUSEN CONSULTING ENGINEERS, INC.
- 13. CONTRACTOR SHALL REQUEST FROM BARGHAUSEN CONSULTING ENGINEERS, INC., PRIOR TO ANY CONSTRUCTION STAKING OR CONSTRUCTION WORK, A FORMAL CONSTRUCTION RELEASE PLAN SET OR SPECIFIC RELEASE IN WRITING. THE APPROVED AGENCY PERMIT DRAWINGS WILL NOT BE CONSIDERED CONSTRUCTION RELEASE PLANS BY BARGHAUSEN CONSULTING ENGINEERS, INC. UNLESS BARGHAUSEN CONSULTING ENGINEERS, INC. HAS GIVEN A FORMAL WRITTEN RELEASE OR ISSUED A CONSTRUCTION RELEASE PLAN SET.



LEGEND: FOUND AS INDICATED EXISTING PROPOSED CONCRETE FOUND MAG NAIL CURB AND GUTTER NOT FOUND OR SET (NS) Ø ASPHALT BARRIER CURB BOLLARD GRAVEL 1 4 4 4 4 4 4 CONCRETE CURB AND GUTTER FENCE CONCRETE CONCRETE CURB AND GUTTER == EASEMENT ASPHALT PROPERTY BOUNDARY CONCRETE CURB EXTRUDED IRRIGATION CONTROL VALVE CENTERLINE SAWCUT -----SANITARY SEWER LINE LIGHT POLE, PARKING CONTOUR ----432----POWER TRANSFORMER WATER POWER VAULT WATERLINE UNDERGROUND ------WATER METER SANITARY SEWER MANHOLE STORM SANITARY SEWER STUB SANITARY SIGN GAS STORM CATCH BASIN _____G____ STORM MANHOLE **POWER** _____P___ TELEPHONE PEDESTAL TEL PED PAINT STRIPE WATER FIRE HYDRANT TYPE 1 CATCH BASIN WATER SPIGOT TYPE 2 CATCH BASIN WATER VALVE SANITARY SEWER CLEANOUT WATER METER TREE W/DIAMETER NOTED

GEOTECHNICAL REPORT NOTES

1. THE FOLLOWING GEOTECHNICAL REPORT FOR THE SITE SHALL BE CONSIDERED PART OF THESE CONSTRUCTION

SOILS REPORTS: GEOTECHNICAL ENGINEERING STUDY, DATED MARCH 13, 2025 (PROJECT NO. 25-481446.2)

PARTNER ENGINEERING AND SCIENCE INC. 3607 1ST AVE NW SEATTLE, WA 98107

- 2. IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO ENSURE THAT ALL PROVISIONS OF THE SOILS REPORT FOR THE SITE BE OBSERVED AND COMPLIED WITH DURING ALL PHASES OF THE SITE PREPARATION, GRADING OPERATIONS, FOUNDATION, SLAB, AND PAVING CONSTRUCTION.
- ANY PROVISIONS OF THE SOILS REPORT WHICH CONFLICT WITH INFORMATION SHOWN ELSEWHERE ON THESE DRAWINGS, OR WHICH REQUIRE FURTHER CLARIFICATION. SHALL BE BROUGHT TO THE ATTENTION OF THE ARCHITECT/ENGINEER FOR DETERMINATION.
- 4. A REPRESENTATIVE OF THE SOILS ENGINEER SHALL BE AVAILABLE TO OBSERVE AND APPROVE THE EARTHWORK OPERATIONS AND TO VERIFY FIELD CONDITIONS AS WORK PROCEEDS. THE SOILS ENGINEER SHALL SUBMIT FIELD REPORTS CERTIFYING THAT THE METHODS AND MATERIALS OF THE EARTHWORK OPERATIONS WERE IN ACCORDANCE WITH THE RECOMMENDATIONS OF THE SOILS INVESTIGATION AND THAT THE WORK WAS PERFORMED TO HIS/HER SATISFACTION.
- 5. THE SOILS ENGINEER SHOULD BE NOTIFIED AT LEAST FIVE (5) WORKING DAYS PRIOR TO ANY SITE CLEARING OR ĠŔADING.

SURVEY INFORMATION

BASIS OF BEARINGS THE BEARINGS SHOWN HEREON ARE BASED ON THE CENTER LINE OF PACIFIC HIGHWAY NO. 99E AS SHOWN ON A RECORD OF SURVEY FILED AS MCSR 38382 IN THE OFFICE OF THE MARION COUNTY SURVEYOR, STATE OF OREGON, BEING NORTH 33'45'59" WEST.

ELEVATIONS SHOWN HEREON ARE BASED ON THE MARION COUNTY BENCHMARK 9416, WHICH BEARS AN ELEVATION OF 178.117' ON THE NATIONAL GEODETIC VERTICAL DATUM OF 1929(NGVD29).

FLOOD ZONE INFORMATION FEMA MAP PANEL 41047C0139 G. SITE LOCATED IN FLOOD ZONE X (AREA OUTSIDE 500-YEAR FLOODPLAIN).

SITE INFORMATION

EXISTING SURFACE AREAS TOTAL SITE AREA: 41,201 SF (0.95 AC) IMPERVIOUS AREA: 24,718 SF (0.57 AC) PERVIOUS/LANDSCAPE AREA: 16,483 SF (0.38 AC)

PROPOSED SURFACE AREAS TOTAL SITE AREA: 41,201 SF (0.95 AC) IMPERVIOUS AREA: 26,190 SF (0.60 AC) PERVIOUS/LANDSCAPE AREA: 15,011 SF (0.35 AC)


LEGAL DESCRIPTION


LOT 2 AND LOT 3, IN BLOCK 1, LENNERS HIGHWAY SUBDIVISION (PLAT BOOK 14 PAGE 0043), IN THE CITY OF WOODBURN, MARION COUNTY, OREGON.

EXCEPTING THEREFROM THAT PART DESCRIBED IN PARCEL 1 OF EXHIBIT A. ATTACHED TO STIPULATED JUDGMENT ENTERED FEBRUARY 27, 1992 IN SUIT NO. 91C-12289, STATE OF OREGON, BY AND THROUGH ITS DEPARTMENT OF TRANSPORTATION. PLAINTIFF VS MILO E. BIBELHEIMER AND BONNIE J. BIBELHEIMER, AS TENANTS BY THE ENTIRETY, AS TO AN UNDIVIDED 1/2 INTEREST; AND WAYNE F. BRANDT AND JOYCE E. BRANDT, AS TENANTS BY THE ENTIRETY, AS TO AN UNDIVIDED 1/2 INTEREST, ALL AS TENANTS IN COMMON, AND RECORDED MARCH 12, 1992 IN REEL 931 PAGE 365, RECORDS FOR MARION COUNTY,

THE LEGAL DESCRIPTION WAS CREATED PRIOR TO JANUARY 01, 2008.

THE PROPERTY SURVEYED AND SHOWN HEREON IS THE SAME AS THAT PROPERTY DESCRIBED IN THE TITLE COMMITMENT IDENTIFIED AS "FIRST AMERICAN TITLE INSURANCE COMPANY" COMMITMENT NUMBER NCS-1245253-PRSTO, WITH A COMMITMENT DATE OF DECEMBER 19,





Number

C1.0

L-2

SITE INFO

1299 N. PACIFIC HIGHWAY WOODBURN, OR 97071 PARCEL #: 105982012091003 LAND USE: COMMERCIAL ZONING: CG (COMMERCIAL GENERAL) 41,201 SF (0.95 ACRES)

OWNER/APPLICANT

BLITZ HOLDINGS 3120 139TH AVE SE, SUITE 500 BELLEVUE, WA 98005 CONTACT: CONNER HAYES

ENGINEER

BARGHAUSEN CONSULTING ENGINEERS, LLC 400 COLUMBIA POINT DR, SUITE 101-B RICHLAND, WA 99352 TEL: (425) 251-6222 CONTACT: NATHAN MACHIELA, P.E.

SURVEYOR

8196 SW HALL BOULEVARD, SUITE #111 BEAVERTON, OR 97008 TEL: (503) 860-2255 CONTACT: MICHAEL HOFFMAN

GEOTECHNICAL ENGINEER

PARTNER ENGINEERING AND SCIENCE INC. 3607 1ST AVE NW SEATTLE, WA 98107 TEL: (800) 419-4923 CONTACT: ANDREW ATRY, P.E.

HOLDINGS AVE, SUIT E, WA 981

IGH\ , 97(

Z D L

MONUMENT PROTECTION NOTE:

COVER SHEET

SURVEY TOPO MAP

SITE PLAN

UTILITY PLAN

LANDSCAPE PLAN

LANDSCAPE PLAN

GRADING AND STORM DRAINAGE PLAN

CONTRACTOR SHALL FIELD LOCATE ALL MONUMENTS WITHIN THE AREA OF DISTURBANCE PRIOR TO CONSTRUCTION AND PROTECT FROM DISTURBANCE/DESTRUCTION TO THE MAXIMUM EXTENT FEASIBLE. IF IT IS NECESSARY TO REMOVE OR REPLACE A MONUMENT DURING CONSTRUCTION, THE CONTRACTOR SHALL NOTIFY THE LOCAL JURISDICTION HAVING AUTHORITY (RCW 58.24.040) AND BE FULLY RESPONSIBLE FOR OBTAINING PERMITS FROM THE WASHINGTON STATE DEPARTMENT OF NATURAL RESOURCES PRIOR TO DISTURBANCE/DESTRUCTION OR RELOCATION OR REPLACEMENT (WAC 332-120). APPLICATIONS MUST BE COMPLETED BY A REGISTERED LAND SURVEYOR AND MÀY BE OBTAINÉD FROM THE WASHINGTON STATE DEPARTMENT OF NATURAL RESOURCES:

WASHINGTON STATE DEPARTMENT OF NATURAL RESOURCES

PUBLIC LAND SURVEY OFFICE 1111 WASHINGTON STREET S.E. P.O. BOX 47060 OLYMPIA, WASHINGTON 98504-7060 (206)902-1190


UPON COMPLETION OF CONSTRUCTION, ALL MONUMENTS DISPLACED, REMOVED, OR DESTROYED THAT ARE ABLE TO BE REPLACED, SHALL BE REPLACED BY A REGISTERED LAND SURVEYOR, AT THE COST AND AT THE DIRECTION OF THE CONTRACTOR, PURSUANT TO THESE REGULATIONS. THE APPROPRIATE FORMS FOR REPLACEMENT OF SAID MONUMENTATION SHALL ALSO BE THE RESPONSIBILITY OF THE CONTRACTOR.


HORIZONTAL CONTROL NOTE:

CONTRACTOR SHALL HAVE ALL PROPERTY LINES, CURB, SIDEWALK, STRUCTURES, CONCRETE PADS AND ANY OTHER ABOVE GROUND PERMANENT STRUCTURE DEPICTED ON THESE PLANS STAKED FOR CONSTRUCTION BY A LICENSED SURVEYOR. LICENSED SURVEYOR SHALL STAKE ALL ITEMS USING COORDINATE GEOMETRY (RECTIFIED TO SITE CONTROL) CONTAINED IN CAD DRAWING FILES PROVIDED BY BARGHAUSEN CONSULTING ENGINEERS, INC. IT IS THE CONTRACTOR'S RESPONSIBILITY TO RETRIEVE LATEST CAD FILES FROM BARGHAUSEN CONSULTING ENGINEERS INC., REFLECTING ANY ISSUED PLAN REVISIONS. BARGHAUSEN CONSULTING ENGINEERS SHALL IMMEDIATELY BE NOTIFIED OF ANY DISCREPANCIES PRIOR TO THE START OF CONSTRUCTION.

UTILITY CONFLICT NOTE:

THE CONTRACTOR SHALL BE RESPONSIBLE FOR VERIFYING THE LOCATION, DIMENSION, AND DEPTH OF ALL EXISTING UTILITIES WHETHER SHOWN ON THESE PLANS OR NOT BY POTHOLING THE UTILITIES AND SURVEYING THE HORIZONTAL AND VERTICAL LOCATION PRIOR TO CONSTRUCTION. THIS SHALL INCLUDE CALLING UTILITY LOCATE @ 811 AND THEN POTHOLING ALL OF THE EXISTING UTILITIES AT LOCATIONS OF NEW UTILITY CROSSINGS TO PHYSICALLY VERIFY WHETHER OR NOT CONFLICTS EXIST. LOCATIONS OF SAID UTILITIES AS SHOWN ON THESE PLANS ARE BASED UPON THE UNVERIFIED PUBLIC INFORMATION AND ARE SUBJECT TO VARIATION. IF CONFLICTS SHOULD OCCUR. THE CONTRACTOR SHALL NOTIFY BARGHAUSEN CONSULTING ENGINEERS, INC. TO RESOLVE ALL PROBLEMS PRIOR TO PROCEEDING WITH CONSTRUCTION.






LEGEND

METAL PIPE NEIGHBORING LENNERS HIGHWAY SUBDIVISION VOL. 14 OF PLATS, PG. 43 PROPERTY LINE POINT OF ENTRY POWER POLE PARKING SPACE S.N. 35818 S.N. 33395 SEWER MAN HOLE TELEPHONE PEDESTAL VAULT WOOD FENCE W.V. WATER VALVE YELLOW PLASTIC CAP

CONCRETE ASPHALTIC CONCRETE BUILDING LINE HANDICAP PARKING ———— CHAIN LINK FENCE WOOD FENCE LIGHT POLE PROPERTY LINE ---- EASEMENT LINE — C — CABLE/COMMUNICATION LINE — E — ELECTRIC LINE — G — GAS LINE ----IRR----- IRRIGATION LINE —OHW— OVERHEAD WIRE STORM DRAIN LINE ——SS—— SEWER LINE ——UU—— UNKNOWN UTILITY

BLOCK/CONCRETE WALL



2021 ALTA/NSPS LAND TITLE SURVEY

WOODBURN THOROUGHBRED

SITE ADDRESS 1299 N. PACIFIC HIGHWAY WOODBURN, OREGON 97071 MARION COUNTY

PARTNER PROJECT NUMBER: 25-481446.3

COORDINATED BY

	DATE	REVISIONS	DRAWN BY: K.L.M.	DRAWING SCALE: 1" = 20'
	3/4/25	NETWORK COMMENTS	CHECKED BY: M.A.H.	JOB NO.: 20256130
			FILENAME: 20256130 THOROUGHBRED 1299 N. PACIFIC	
			HWY., WOODBURN, OR.DWG	
١,				


SURVEYED BY


TERRAMARK

8196 SW HALL BOULEVARD, SUITE #111 BEAVERTON, OR 97008; PH: 503/860-2255

NW 1/4 OF THE SE 1/4 OF SECTION 08, TWP. 05 SOUTH, RGE 01 WEST, WILLAMETTE MERIDIAN CITY OF WOODBURN, MARION COUNTY, STATE OF OREGON

PRELIMINARY SITE PLAN





⟨#⟩ SITE PLAN KEYNOTES:

- 1. PROPOSED CAR WASH. CONFIRM ALL DIMENSIONS WITH ARCHITECTURAL PLANS. SEE ARCHITECTURAL PLANS FOR DETAILS.
- 2. CONSTRUCT ASPHALT PAVEMENT (TYP).
- 3. TRASH ENCLOSURE, WITH CONCRETE PAD (HEAVY DUTY). SEE ARCHITECTURAL AND STRUCTURAL PLANS FOR DETAILS.
- 4. CONSTRUCT ACCESSIBLE PARKING STALL AND AISLE WITH ALL REQUIRED SIGNAGE.
- 5. ADA ACCESSIBLE PATH, SEE ACCESSIBLE PATH NOTE ON THIS SHEET. CROSS SLOPE OF SIDEWALKS AND LANDINGS AT DOOR NOT TO EXCEED
- 6. CONSTRUCT ON-SITE/OFF-SITE CONCRETE SIDEWALK.
- 7. CONSTRUCT ON-SITE CONCRETE BARRIER CURB.
- 8. CONSTRUCT ON-SITE CURB AND GUTTER.
- 9. INSTALL SELF SERVICE VACUUM UNIT, SEE ARCHITECTURAL PLANS FOR DETAILS. CONTRACTOR TO COORDINATE CONDUIT REQUIREMENTS WITH ELECTRICAL PLANS.
- 10. INSTALL 6" THICK CONCRETE VACUUM PUMP PAD, SEE ARCHITECTURAL PLANS FOR DETAILS. CONTRACTOR TO COORDINATE CONDUIT REQUIREMENTS WITH ELECTRICAL PLANS.
- 11. CONSTRUCT CONCRETE PAVEMENT (TYP).
- 12. INSTALL DRIVE-THRU CANOPY, SEE ARCHITECTURAL PLANS FOR
- 13. PAINT DIRECTIONAL PAVEMENT MARKINGS, TYPICAL. ALL STRIPING TO CONFORM WITH CITY OF WOODBURN STANDARDS AND SPECIFICATIONS.
- 14. PAINT 4" WIDE WHITE REFLECTIVE PAINT PARKING STALL STRIPES, TYPICAL. ALL STRIPING TO CONFORM WITH CITY OF WOODBURN STANDARDS AND
- 15. INSTALL HEIGHT CLEARANCE SIGN, SEE ARCHITECTURAL PLANS FOR ADDITIONAL INFORMATION.
- 16. INSTALL "DO NOT ENTER" SIGN.
- 17. LANDSCAPE AREA, TYPICAL. REFER TO LANDSCAPE PLANS FOR ADDITIONAL INFORMATION.
- 18. CONSTRUCT 24' DRIVEWAY APPROACH PER CITY OF WOODBURN STD DET 4150-1.
- 19. INSTALL PAY STATION, SEE ARCHITECTURAL PLANS FOR DETAILS. CONTRACTOR TO COORDINATE CONDUIT REQUIREMENTS WITH ELECTRICAL
- 20. INSTALL CURB EXTENSION. CONTRACTOR TO MATCH CURB AND GUTTER TO EXISTING PER CITY OF WOODBURN STANDARDS & SPECIFICATIONS AND ODOT STANDARDS AS APPLICABLE.
- 21. EXISTING ADA COMPLIANT SIDEWALK AND CURB TO REMAIN.
- 22. INSTALL DRIVE THROUGH LIGHT, SEE ARCHITECTURAL PLANS FOR ADDITIONAL INFORMATION. CONTRACTOR TO COORDINATE CONDUIT REQUIREMENTS WITH ELECTRICAL PLANS.
- 23. INSTALL FIRE HYDRANT PER CITY OF WOODBURN STANDARDS AND SPECIFICATIONS.
- 24. REQUIRED 13' PARKING AND VEHICULAR CIRCULATION SETBACK FROM PROPOSED ROW DEDICATION LINE.
- 25. INSTALL ARCHITECTURAL LANDSCAPE WALL.
- 26. BUILDING SETBACK FROM ROW. BUILDING LOCATION IS COMPLAINT WITH MAXIMUM 80' SETBACK FROM ROW.

(1:20).

HOLDINGS DAVE, SUITE LE, WA 98104


2394

ACCESSIBLE PATH OF TRAVEL NOTE:

WALKWAYS ALONG ACCESSIBLE ROUTES OF TRAVEL SHALL BE CONTINUOUSLY ACCESSIBLE, BE A MINIMUM OF 48" IN WIDTH (PER PAR REQUIREMENTS FOUND IN PROWAG), HAVE A MAXIMUM 2.0% CROSS SLOPE, AND SHALL HAVE RAMPS COMPLYING WITH ACCESSIBILITY STANDARDS (SECTION 405) WHERE NECESSARY TO CHANGE ELEVATION AT A LONGITUDINAL SLOPE EXCEEDING 5%

NW 1/4 OF THE SE 1/4 OF SECTION 08, TWP. 05 SOUTH, RGE 01 WEST, WILLAMETTE MERIDIAN CITY OF WOODBURN, MARION COUNTY, STATE OF OREGON

GRADING AND STORM DRAINAGE PLAN




STORM DRAIN GENERAL NOTES:

- 1. ALL STRUCTURE ELEVATIONS SHOWN ARE TO CENTER OF STRUCTURE AT FINISH SURFACE (TOP OF ASPHALT OR TOP OF CONCRETE PAVEMENT, NOT TOP OF CURB/SIDEWALK) UNLESS OTHERWISE NOTED.
- 2. ALL STORM DRAINAGE STRUCTURES EXPOSED TO TRAFFIC SHALL BE TRAFFIC RATED INCLUDING STRUCTURE, LID, GRATE, ETC.
- 3. CONTRACTOR SHALL USE PIPE/FITTING MATERIALS IN ACCORDANCE WITH CITY OF WOODBURN REQUIREMENTS AND MANUFACTURER SPECIFICATIONS.
- 4. PVC PIPES TO BE SDR-35, MAINTAIN MINIMUM 18" COVER OVER PVC STORM PIPES. ALL STORM PIPING INSTALLED WITH LESS THAN 18" OF COVER SHALL BE BACKFILLED WITH A CONTROLLED DENSITY FILL (SLURRY).
- 5. ALL STORM DRAINAGE STRUCTURES WITH LIDS EXPOSED TO PEDESTRIAN TRAFFIC SHALL BE HEEL PROOF AND SLIP RESISTANT IN ACCORDANCE WITH ACCESSIBILITY REQUIREMENTS.
- 6. PROVIDE ALL INCIDENTAL FITTINGS, BENDS, WYES, TEES, COUPLINGS, GASKETS, ETC. REQUIRED TO CONSTRUCT THE INFRASTRUCTURE DEPICTED.
- 7. ALL TRENCHING SHALL CONFORM TO THE REQUIREMENTS OF THE APPLICABLE PURVEYOR.
- 8. PROVIDE MARKING TAPE AND LOCATE WIRE WITH ALL TRENCH INSTALLATIONS.
- 9. CONTRACTOR TO OBTAIN ANY NECESSARY RIGHT-OF-WAY PERMITS IF REQUIRED FOR WORK SHOWN ON PLANS.

UTILITY CROSSING NOTE:

MAINTAIN MINIMUM 12" VERTICAL SEPARATION BETWEEN STORM LINE AND SANITARY SEWER LINE. CONTRACTOR TO VERIFY DEPTH OF EXISTING SANITARY SEWER.

IF 12" VERTICAL SEPARATION CANNOT BE MAINTAINED, CONTRACTOR MUST CONTACT ENGINEER.



GRADING NOTES:

- 1. ALL GRADING IS TO CONFORM TO THE REQUIREMENTS AND RECOMMENDATIONS PROVIDED IN GEOTECHNICAL INVESTIGATION REPORT PROVIDED BY PARTNER ENGINEERING AND SCIENCE, INC., DATED MARCH 13, 2025, AND IN ACCORDANCE WITH THE PROVISIONS OF THE CURRENT CITY ORDINANCE AND STANDARDS. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO REVIEW THE GEOTECHNICAL REPORT FOR ADDITIONAL REQUIREMENTS AND RECOMMENDATIONS, AND TO SEEK CLARIFICATION WITH THE CIVIL AND/OR GEOTECHNICAL ENGINEER(S) OF RECORD PRIOR TO CONSTRUCTION. ADDITIONAL GEOTECHNICAL INVESTIGATION REPORT NOTES ARE PROVIDED ON COVER SHEET C1.0.
- 2. ALL GRADING IS TO CONFORM TO CITY OF WOODBURN STANDARDS AND SPECIFICATIONS. WHERE REQUIREMENTS AND RECOMMENDATIONS DIFFER BETWEEN THE LEAD JURISDICTION AND THE GEOTECHNICAL INVESTIGATION REPORT, THE MORE STRINGENT REQUIREMENTS AND RECOMMENDATIONS WILL BE FOLLOWED. THE GRADING IS SUBJECT TO THE OBSERVATION AND APPROVAL OF THE PUBLIC WORKS DEPARTMENT.
- 3. CONTRACTOR SHALL BE RESPONSIBLE FOR VERIFYING ALL PROPOSED GRADES IN RELATIONSHIP TO SURVEYED BASIS OF ELEVATION.
- 4. CONTRACTOR TO PROTECT AND MAINTAIN EROSION CONTROL FACILITIES DURING GRADING OPERATIONS.
- 5. CONTRACTOR TO OBTAIN ANY NECESSARY RIGHT-OF-WAY PERMITS IF REQUIRED FOR WORK SHOWN ON PLANS.
- 6. CONTRACTOR SHALL MATCH EXISTING ELEVATIONS AT ALL SAWCUT
- 7. ALL REWORKED SOILS AND FILL MATERIALS SHALL MEET THE MATERIAL, PLACEMENT, AND COMPACTION REQUIREMENTS PROVIDED IN THE GEOTECHNICAL INVESTIGATION REPORT.
- 8. CONTRACTOR IS RESPONSIBLE FOR COORDINATING AND OBTAINING FIELD DENSITY TESTS AT THE TESTING FREQUENCIES DESCRIBED IN THE GEOTECHNICAL INVESTIGATION REPORT. ALL RESULTS ARE TO BE SENT TO THE GEOTECHNICAL ENGINEER FOR REVIEW AND APPROVAL.
- NO SLOPES TO EXCEED 2.5H:1V WITHOUT SLOPE STABILIZATION.
 ADDITIONAL SLOPE REQUIREMENTS CAN BE FOUND IN THE GEOTECHNICAL INVESTIGATION REPORT.
- 10. EXCESS MATERIALS TO BE LEGALLY DISPOSED OF AND/OR SPREAD OFFSITE.
- 11. ALL EXISTING UTILITY STRUCTURES AND ASSOCIATED LIDS THAT FALL WITHIN THE AREA OF WORK SHALL BE ADJUSTED TO FINISH GRADE ELEVATIONS, AND BE FREE OF ANY ABRUPT VERTICAL CHANGES. CONTRACTOR SHALL CONFIRM THE FEASIBILITY OF ADJUSTING EXISTING UTILITY STRUCTURE LIDS TO FINISHED GRADE PRIOR TO CONSTRUCTION AND NOTIFY ENGINEER OF ANY DISCREPANCIES. LIDS AND RIMS WITHIN ADA ACCESSIBLE PATHS SHALL BE ADJUSTED TO FINAL ELEVATIONS IN COMPLIANCE WITH CURRENT ADA REQUIREMENTS.
- 12. ALL SPOT ELEVATIONS SHOWN ARE TO FINISH SURFACE (FLOWLINE OR TOP OF PAVEMENT, NOT TOP OF CURB/SIDEWALK) UNLESS OTHERWISE NOTED.
- 13. CONTRACTOR TO ORDER LOCATES AND FIELD VERIFY ALL UTILITIES PRIOR TO CONSTRUCTION TO ENSURE THAT UTILITY CONFLICTS DO NOT EXIST. CONTRACTOR TO REVIEW UTILITY AS—BUILTS IN ORDER TO VERIFY EXISTING UTILITY LOCATIONS. CONTRACTOR SHALL POTHOLE ALL POTENTIAL UTILITY CONFLICTS PRIOR TO CONSTRUCTION. NOTIFY BARGHAUSEN CONSULTING ENGINEERS, LLC OF ANY CONFLICTS. CONTRACTOR TO REVIEW APPROPRIATE AS—BUILTS FROM UTILITY PURVEYOR AS PROVIDED WITHIN CONSTRUCTION RELEASE.

(#) STORM DRAINAGE CONSTRUCTION NOTES:

1. INSTALL 24" CATCH BASIN INLET WITH GRATE. INVERT AND RIM ELEVATIONS AS NOTED IN PLAN VIEW.

- 2. INSTALL **48"** TYPE 2 CATCH BASIN INLET WITH GRATE. INVERT AND RIM ELEVATIONS AS NOTED IN PLAN VIEW.
- 3. INSTALL STORM PIPING. SLOPE, SIZE, MATERIAL, AND ELEVATION OF PIPES AS NOTED IN THE PLAN VIEW.
- 4. EXISTING CATCH BASIN TO BE DEMOLISHED AND EXISTING SYSTEM REROUTED TO NEW CATCH BASIN.
- 5. INSTALL 6" STORM DRAIN CLEAN OUT AT PROPOSED CONNECTION POINT TO ROOF DRAIN. INVERT AND RIM ELEVATIONS AS NOTED IN PLAN VIEW.

THE CONTRACTOR SHALL BE RESPONSIBLE FOR VERIFYING THE LOCATION, DIMENSION, AND DEPTH OF ALL EXISTING UTILITIES WHETHER SHOWN ON THESE PLANS OR NOT BY POTHOLING THE UTILITIES AND SURVEYING THE HORIZONTAL AND VERTICAL LOCATION PRIOR TO CONSTRUCTION. THIS SHALL INCLUDE CALLING UTILITY LOCATE AT 811 AND THEN POTHOLING ALL OF THE EXISTING UTILITIES AT LOCATIONS OF NEW UTILITY CROSSINGS TO PHYSICALLY VERIFY WHETHER OR NOT CONFLICTS EXIST. LOCATIONS OF SAID UTILITIES AS SHOWN ON THESE PLANS ARE BASED UPON THE UNVERIFIED PUBLIC INFORMATION AND ARE SUBJECT TO VARIATION. IF CONFLICTS SHOULD OCCUR, THE CONTRACTOR SHALL NOTIFY BARGHAUSEN CONSULTING ENGINEERS, LLC. TO RESOLVE ALL PROBLEMS PRIOR TO PROCEEDING WITH CONSTRUCTION.

GRADING ABBREVIATIONS:

- EG EXISTING GRADE SURFACE
- FINISH FLOORTOP OF GRADE/FINISH GRADE SURFACE
- L FLOWLINE
- S FINISH SURFACE SH — FLUSH
- B GRADE BREAK P — HIGH POINT
- MATCH EXISTING ELEVATION
 RIM/GRATE ELEVATION OF STRUCTURE
- SW TOP OF SIDEWALK TC — TOP OF CURB
 - TOP OF PAVEMENT

GRADING LEGEND:

Scale:

AN Horizontal Title:

AN Horizontal Title:

AN HANGE SECOND AVE, SUITE 1009

SEATTLE, WA 98104


Barghausen Consulting

2394

IGHW, 9707


NW 1/4 OF THE SE 1/4 OF SECTION 08, TWP. 05 SOUTH, RGE 01 WEST, WILLAMETTE MERIDIAN CITY OF WOODBURN, MARION COUNTY, STATE OF OREGON

PRELIMINARY UTILITY PLAN



GENERAL UTILITY NOTES:

- ALL STRUCTURE ELEVATIONS SHOWN ARE TO CENTER OF STRUCTURE AT FINISH SURFACE (TOP OF ASPHALT OR TOP OF CONCRETE PAVEMENT, NOT TOP OF CURB/SIDEWALK) UNLESS OTHERWISE NOTED.
- LOCATION OF ALL STRUCTURES, BENDS, WYES, CONNECTIONS, ETC. TO BE STAKED BY A LICENSED SURVEYOR. LOCATIONS ARE TO THE CENTER OF THE STRUCTURE AND BASED ON CAD PROVIDED BY ENGINEER. SURVEYOR AND/OR CONTRACTOR TO NOTIFY ENGINEER IMMEDIATELY OF ANY CONFLICTS OR CONSTRUCTABILITY CONCERNS.
- ALL UTILITY STRUCTURES EXPOSED TO TRAFFIC SHALL BE TRAFFIC RATED INCLUDING STRUCTURE, LID, ETC.
- ALL UTILITY STRUCTURES WITH LIDS EXPOSED TO PEDESTRIAN TRAFFIC SHALL BE SLIP RESISTANT IN ACCORDANCE WITH ACCESSIBILITY REQUIREMENTS.
- PROVIDE ALL INCIDENTAL FITTINGS, BENDS, WYES, TEES, COUPLINGS, GASKETS, ETC. REQUIRED TO CONSTRUCT THE INFRASTRUCTURE DEPICTED.
- ALL TRENCHING SHALL CONFORM TO THE REQUIREMENTS OF THE APPLICABLE PURVEYOR.
- PROVIDE MARKING TAPE AND LOCATE WIRE WITH ALL TRENCH INSTALLATIONS.
- CONTRACTOR SHALL USE PIPE/FITTING MATERIALS IN ACCORDANCE WITH CITY OF WOODBURN REQUIREMENTS AND MANUFACTURER SPECIFICATIONS. ALL PVC PIPE SHALL BE SDR-35 WITH 2' MIN COVER WHERE SUBJECT TO VEHICULAR LOADING.
- CONTRACTOR TO MAINTAIN ADEQUATE VERTICAL SEPARATION AT UTILITY CROSSINGS PER CITY OF WOODBURN STANDARDS AND SPECIFICATIONS. VERTICAL SEPARATION IS NOT FEASIBLE, CONTACT ENGINEER IMMEDIATELY.
- 10. EXISTING WATER FEATURES SUCH AS METERS, HYDRANTS, AND APPURTENANCES SHALL BE PROTECTED FROM CONSTRUCTION ACTIVITIES BY THE INSTALLATION OF ORANGE TEMPORARY FENCING.
- 11. ALL WORK SHOWN WITHIN THE ROW SHALL BE COMPLETED UNDER A ROW USE PERMIT.



WATER CONSTRUCTION NOTES:

- CITY OF WOODBURN WATER DEPARTMENT TO INSTALL 2" TAP INTO EXISTING 8" CI MAIN AND 2" SERVICE LINE PER CITY OF WOODBURN STD DET 5000-4A.
- CITY OF WOODBURN WATER DEPARTMENT TO INSTALL 2" WATER METER PER CITY OF WOODBURN STD DET 5000-4A.
- INSTALL 2" REDUCED PRESSURE BACKFLOW DEVICE (RPBA) TO SERVICE THE CAR WASH FACILITY. RPBA SHALL BE PER CITY OF WOODBURN STANDARDS AND SPECIFICATIONS. BACKFLOW DEVICE TO BE TESTED IMMEDIATELY FOLLOWING INSTALL AND INSPECTED BY MCMINNVILLE WATER AND LIGHT CROSS-CONNECTION SPECIALIST.
- 4. INSTALL 2" WATER SERVICE LINE.
- APPROXIMATE LOCATION OF DOMESTIC WATER SERVICE. COORDINATE SERVICE LOCATION, SIZE, AND CONTRACTOR SCOPE OF WORK WITH MEP PLANS/PURVEYOR PRIOR TO CONSTRUCTION.
- INSTALL FIRE HYDRANT PER CITY OF WOODBURN STD DET 5070-1 AND

A DRY UTILITY CONSTRUCTION NOTES:

- 1. APPROXIMATE LOCATION OF CONNECTION POINT FOR POWER SERVICE LINE AND COMMUNICATION LINE(S). CONTRACTOR SHALL TRENCH FROM PROPOSED POINT OF CONNECTION TO PROPOSED SITE TRANSFORMER/PEDESTAL(S) LOCATIONS. CONTRACTOR SHALL COORDINATE SERVICE LOCATION, CONDUIT(S) SIZE, AND CONTRACTOR SCOPE OF WORK WITH PURVEYOR PLANS PRIOR TO CONSTRUCTION.
- 2. APPROXIMATE LOCATION OF PROPOSED TRANSFORMER, CONTRACTOR TO INSTALL TRANSFORMER PAD AS REQUIRED BY ELECTRICAL PURVEYOR. CONTRACTOR TO COORDINATE WITH PURVEYOR TO CONFIRM DIMENSIONS, SPECIFICATIONS, AND PLACEMENT LOCATION PRIOR TO INSTALLATION. CONTRACTOR SHALL COORDINATE SERVICE STUB LOCATION, CONDUIT(S) SIZE, AND CONTRACTOR SCOPE OF WORK WITH PURVEYOR PRIOR TO CONSTRUCTION.
- 3. APPROXIMATE LOCATION OF POWER CONNECTION TO BUILDING, CONTRACTOR SHALL TRENCH FROM PROPOSED SITE TRANSFORMER TO BUILDING POINT OF CONNECTION. CONTRACTOR SHALL COORDINATE INSTALLATION REQUIREMENTS, TRENCHING, OR BORING WITH ELECTRICAL PURVEYOR. REFER TO ELECTRICAL PLANS FOR FINAL LOCATION. CONTRACTOR SHALL COORDINATE SERVICE LOCATION, CONDUIT(S) SIZE, AND CONTRACTOR SCOPE OF WORK WITH PURVEYOR PLANS PRIOR TO CONSTRUCTION.
- 4. APPROXIMATE LOCATION OF COMMUNICATIONS CONNECTION TO BUILDING. COORDINATE SERVICE LOCATION, CONDUIT(S) SIZE AND CONTRACTOR SCOPE OF WORK WITH MEP PLANS/PURVEYOR PRIOR TO CONSTRUCTION. CONTRACTOR TO COORDINATE WITH PURVEYOR REGARDING CONNECTION REQUIREMENTS. COORDINATION WITH PURVEYOR SHALL BE DONE PRIOR TO CONSTRUCTION.

UTILITY POTHOLING NOTE:

THE CIRCLED LOCATIONS ARE REQUIRED TO BE POTHOLED TO VERIFY VERTICAL AND HORIZONTAL LOCATIONS OF EXISTING UTILITY AND/OR POTENTIAL CONFLICTS WITH EXISTING UTILITIES. POTHOLING SHALL BE PERFORMED PRIOR TO INSTALLING ANY PROPOSED UTILITIES. CONTRACTOR SHALL NOTIFY BARGHAUSEN CONSULTING ENGINEERS, LLC. OF ANY CONFLICTS.

IRRIGATION CONSTRUCTION NOTES:

- 1. CONTRACTOR TO INSTALL 1" TEE FITTING AND 1" IRRIGATION LINE OFF 2" WATER LATERAL.
- 2. INSTALL 1" DCVA PER CITY OF WOODBURN SPECIFICATIONS. INSTALL LANDSCAPE IRRIGATION SYSTEM DOWNSTREAM OF DCVA.
- 3. WATER SUPPLY CONNECTION FOR LANDSCAPE USE. REFER TO LANDSCAPE PLANS FOR MORE DETAILS.

(#) SEWER CONSTRUCTION NOTES:


- 1. OLDCASTLE OIL/WATER 660-SA SEPARATOR TANK
- 2. CONNECT 6" SANITARY SEWER SERVICE TO EXISTING 8" CONCRETE SEWER MAIN, INVERT ELEVATION AS SHOWN IN PLAN VIEW. CONTRACTOR TO PROVIDE NECESSARY FITTINGS AND COUPLINGS TO MAKE CONNECTION. CONTRACTOR TO VERIFY LOCATION, CONDITION, AND DEPTH OF PROPOSED CONNECTION AND ENSURE POSITIVE DRAINAGE CAN BE
- 3. APPROXIMATE LOCATION OF SEWER CONNECTION TO CAR WASH BLACKWATER. SEE PLUMBING PLANS FOR CONTINUATION. CONFIRM EXACT LOCATION, SIZE, AND INVERT ELEVATION WITH PLUMBING PLANS.
- 4. APPROXIMATE LOCATION OF SEWER CONNECTIONS TO CAR WASH GREYWATER. SEE PLUMBING PLANS FOR CONTINUATION. CONFIRM EXACT LOCATION, SIZE, AND INVERT ELEVATION WITH PLUMBING PLANS.
- PER PLAN VIEW. INVERT ELEVATIONS ARE BASED ON APPROXIMATE LOCATIONS, SIZES, AND INVERT ELEVATIONS AT CONNECTION TO BUILDING, VERIFY BUILDING CONNECTION WITH PLUMBING PLANS AND ADJUST INVERT ELEVATIONS AS NECESSARY.
- 8. INSTALL TWO-WAY CLEANOUT. SIZE, RIM ELEVATION, AND INVERT APPROXIMATE LOCATIONS, SIZES, AND INVERT ELEVATIONS AT CONNECTION TO BUILDING, VERIFY BUILDING CONNECTION WITH PLUMBING

ACHIEVED PRIOR TO CONSTRUCTION. REPORT RESULTS TO ENGINEER.

- 5. INSTALL 6" CLEANOUT. SIZE, RIM ELEVATION, AND INVERT ELEVATIONS
- 6. INSTALL SEWER LATERAL (TYP ALL); PIPE SIZE, MATERIAL, LENGTH, AND SLOPE AS NOTED PER PLAN VIEW.
- 7. APPROXIMATE LOCATION OF SEWER CONNECTION TO CAR WASH DRAINS NOT SHOWN, SEE PLUMBING PLANS FOR CONTINUATION INSIDE BUILDING FOOTPRINT. CONFIRM EXACT LOCATION WITH PLUMBING PLANS.
- PLANS AND ADJUST INVERT ELEVATIONS AS NECESSARY.

IGH/ 1, 97

HOLDINGS DAVE, SUITE LE, WA 9810



2394