

Amplified Sound Authorization

City of Woodburn – Community Services
270 Montgomery Street
Woodburn, OR 97071
(503) 982-5239 (Office)



In Accordance with City Ordinance No. 2312, amplified sound must be limited to a maximum of **80 decibels (dBA)** at Park boundaries. To minimize impacts on surrounding neighborhoods, the City will regulate the location and placement of all PA systems used as a part of activities covered by this authorization for amplified sound and may establish specific dBA level requirements for each individual PA system based on event conditions and/ or through prior testing. Under no circumstances, shall noise levels exceed 80 dBA. City site management personnel, in consultation with the Police Department, will monitor and regulate sound volume. This regulation of sound volume by City personnel does not relieve permittee of their sole responsibility for complying with Ordinance No.2312, nor shall it limit the City's authority to issue citations for violations of any city ordinance or applicable laws.

Applicant Information			
Organization:		Contact Name:	
Address:		City:	ZIP:
Telephone:		Email:	
Date Submitted:			
Event/Activity Details			
Date of Event/Activity:		Time of Event/Activity:	
Event Title:		Location of Event:	
Description of Event/Activity and PA Locations/Direction Facing:			

This permit must be carried upon the person in charge or control of the event and at the location of the event. The permittee shall comply with all permit directions and conditions, and with all applicable laws and ordinances. The sound amplification shall be discontinued no later than the times specified above on the days of the event.

Special Programs Manager

Date: